



**Department
of
Public Works
Infrastructure
Services Division
Facilities Development
& Management Section**

**South Side Health Center
Window Replacement**
1639 South 23rd Street
Milwaukee, Wisconsin

March, 2013

Project Number RM5445135402
Official Notice No. 57

CITY OF MILWAUKEE, WISCONSIN
DEPARTMENT OF PUBLIC WORKS
INFRASTRUCTURE SERVICES DIVISION
FACILITIES DEVELOPMENT &
MANAGEMENT SECTION

PROJECT MANUAL
GOVERNING THE
SOUTH SIDE HEALTH CENTER
WINDOW REPLACEMENT
1639 S. 23RD STREET
MILWAUKEE, WISCONSIN

Project No. RM5445135402

March, 2013

TABLE OF CONTENTS

<u>TABLE OF CONTENTS</u>	<u>PAGE NO.</u>
<u>BIDDING REQUIREMENTS</u>	
00030 City of Milwaukee General Official Notice	00030/1
00031 City of Milwaukee Specific Official Notice	00031/1
00100 Instructions to Bidders	00100/1-3
<u>GENERAL CONDITIONS</u>	
00700 General Conditions	00700/1-4
00821 Inspection Charges	00821/1
00822 Prevailing Wage Scale	00822/1-28
00850 Drawing Schedule	00850/1
<u>GENERAL REQUIREMENTS</u>	
01010 Summary of Work	01010/1-3
01210 Project Meetings	01210/1-2
01300 Submittals and Permits	01300/1-3
01500 Job Site Utilities, Facilities, and Security	01500/1-6
01505 Construction Waste Management	01505/1-4
01600 Materials and Equipment	01600/1-3
01700 Cleaning and Project Close-Out	01700/1-3
02070 Selective Demolition and Removal	02070/1
<u>TECHNICAL SPECIFICATIONS</u>	
07920 Joint Sealants	07920/1-6
08520 Aluminum Windows (Commercial)	08520/1-10
08910 Metal Window Panels	08910/1-4

00030/1

CITY OF MILWAUKEE
GENERAL OFFICIAL NOTICE
TO CONTRACTORS

Separate sealed bids for each project will be received until 10:30 A.M. of the bid opening date at which time bids will be publicly opened and read for furnishing all material and doing all work for each project in accordance with the requirements of the respective Official Notice on the bid form furnished in accordance with plans, specifications, contract documents, and proposed form of contract on file in the office of the Department of Public Works, Municipal Building, 841 N. Broadway, Room 506, Milwaukee, Wisconsin, 53202.

PROSPECTIVE BIDDERS ARE TO CAREFULLY EXAMINE AND REVIEW ALL CONTRACT DOCUMENTS AND MATERIALS IN SAID OFFICE BEFORE SUBMITTING BID.

AFFIDAVITS OF NO INTEREST MUST ACCOMPANY THE BIDS, AND THE FAILURE OF PROSPECTIVE BIDDERS TO COMPLY WITH THESE REQUIREMENTS MAY DISQUALIFY THE BID.

THE CONTRACTOR/LESSEE AGREES TO COMPLY WITH ALL APPLICABLE REQUIREMENTS OF THE AMERICANS WITH DISABILITIES ACT OF 1990, 42 U.S.C. § 12101, ET. SEQ. THE TDD NUMBER FOR PUBLIC WORKS IS (414) 286-2025.

As part of the bid each bidder shall submit a list of anticipated subcontractors and the class of work to be performed by each, which list should not be added to nor altered without the written consent of the Commissioner of Public Works.

All contractor(s) and subcontractor(s) are required to furnish or have on file a certificate of insurance in accordance with the insurance provisions of the General Specifications.

All contractor(s) and subcontractor(s) are subject to the prevailing wage rates and hours of labor as prescribed by the Common Council of the City of Milwaukee consistent with provisions of Section 66.0903 of the Wisconsin Statutes.

Copies of the actual work classifications and wage and fringe benefit rates enforced on this project are available in Room 506 of the Municipal Building.

Corporate surety will be required on performance and payment bonds for all projects listed in the following Official Notices. All applicable charter and Statutory provisions and ordinances, all the provisions of this official notice, invitation to bid, general and detailed specifications, special provisions, proposal, schedule of fixed prices, addendum and plans for this project and all other contract documents set forth in the invitation to bid will be incorporated and made part of the contract as if therein set forth in full.

Tie bids, when the lowest ones, will be decided by the Commissioner of Public Works.

The Commissioner of Public Works reserves the right to reject any or all bids.

Signed: GHASSAN KORBAN,
Commissioner of Public Works

Countersigned: MARTIN MATSON,
City Comptroller

**CITY OF MILWAUKEE
SPECIFIC OFFICIAL NOTICE NO. 57**

Important Notice:

The Invitation to Bid, all bid documents and the Plans & Specifications for the project listed will be available electronically to prospective bidders via <http://www.mpw.net/bids/docs/57-2013>. Any required addenda or responses related to the listed projects will be posted on said website. Bidders are encouraged to utilize this electronic method of obtaining bid documents as the Department of Public Works intends to solely use this method for future projects. At this time however, a limited number of hard copies of the above documents will also be available at address listed below. **IF YOU ONLY PRINT THE DOCUMENTS FROM THE WEBSITE AND WOULD LIKE YOUR COMPANY'S NAME PLACED ON THE PLAN HOLDERS' LIST, PLEASE CALL 414-286-3314.**

Sealed bids will be opened on Monday, April 15, 2013 at 10:30 A.M. for the **South Side Health Center Window Replacement**, located at 1639 South 23rd Street, Milwaukee, WI.

Bid Security Required: Bond, Certified Check, Cashier's Check, or Cash to accompany bid: 10% of Contractor's Base Bid

Time for Completion: 30 Working Days.

All work on this project shall be completed by Thursday, October 31, 2013.

Liquidated Damages, per diem: \$488.00

The SBE requirement for this project is 25% of the contract base bid.

The residency requirement for this project is 40% of all hours worked on the project.

The apprenticeship requirements for this project are: 1

Laborer

The contractor shall specifically note the SBE, residency, and apprenticeship forms for this project. If the forms are not filled out properly, it will be cause for rejection of the bid.

Plans and project manual will be furnished to the prospective bidders upon payment of a \$10.00 non-refundable fee in room 506, Frank P. Zeidler Municipal Building, 841 North Broadway, Milwaukee, Wisconsin 53202. For general questions call 414-286-3314.

A \$10.00 per set additional non-refundable fee is required to obtain bid documents by mail. Plans are sent via U.S. mail unless other arrangements are made by the contractor.

Contractor must comply with all provisions of the CITY OF MILWAUKEE GENERAL OFFICIAL NOTICE TO CONTRACTORS published herein and at http://mpw.milwaukee.gov/services/bids_home

Pre-Bid Meeting: A Pre-Bid Meeting is scheduled for Monday, April 08, 2013, at 9:00 a.m. in Room 606 of the Frank P. Zeidler Municipal Building, 841 North Broadway, Milwaukee, Wisconsin. Bidder participation is urged to become familiar with all aspects of the project and bidding requirements.

Signed:

GHASSAN KORBAN
Commissioner of Public Works

SECTION 00100: INSTRUCTIONS TO BIDDERS

See also Instructions to Bidders in the "General Specifications" of the Department of Public Works, City of Milwaukee, Wisconsin, dated January 31, 1992, and all subsequent addenda.

BID FORM:

Submit a lump sum price for the work as indicated on the drawings and specified herein, complete in every respect.

Bids will not be accepted in any form except on the bid form included with this project manual.

The contractor must recognize and abide by the right of the Owner (City of Milwaukee) to accept or reject any or all bids in the best interests of the City.

ALTERNATE BIDS:

Each bidder shall examine the plans and project manual thoroughly to determine what extent the Alternate will affect the bid.

Alternate No.1:

State the unit price amount to be added to the Base Bid to provide installed 18 x 16 dark fiberglass mesh full screens held in extruded tubular aluminum frame with same finish as window for projected window type A.

Alternate Bid 2:

Provide a unit price to provide install 18 x 16 dark fiberglass mesh half screens held in extruded tubular aluminum frame with same finish as window for single hung window type B.

Alternate Bid 3:

Provide a unit price to provide install 18 x 16 dark fiberglass mesh half screens held in extruded tubular aluminum frame with same finish as window for single hung window type C.

Alternate Bid 4:

Provide a unit price to provide install 18 x 16 dark fiberglass mesh half screens held in extruded tubular aluminum frame with same finish as window for single hung window type D.

Alternate Bid 5:

Provide a unit price to provide install 18 x 16 dark fiberglass mesh full screens held in extruded tubular aluminum frame with same finish as window for projected window type E.

Alternate Bid 6:

Provide a unit price to provide install 18 x 16 dark fiberglass mesh full screens held in extruded tubular aluminum frame with same finish as window for projected window type F.

Alternate Bid 7:

Provide a unit price to provide install 18 x 16 dark fiberglass mesh half screens held in extruded tubular aluminum frame with same finish as window for single hung window type G.

Alternate Bid 8:

Provide a unit price to provide install 18 x 16 dark fiberglass mesh half screens held in extruded tubular aluminum frame with same finish as window for single hung window type H.

INFORMATIONAL PRICES:

Each bidder shall provide on the bid proposal the following unit prices that were used in arriving at the Base Bid. The unit prices will be used for additions to or deductions from work required under the contract.

Informational Price No. 1:

State the amount to provide two different color finishes of the window framing - one color for the exterior and a different color for the interior.

REQUIRED BID INFORMATION

Each bidder shall provide on the bid proposal the following information for determining the Base Bid. This information will be used in determining the contractor's commitment to provide the specified (or equal) product before the contract award.

Informational Bid No. 1:

Bidder must identify the manufacturer on which bid is based.

Informational Bid No. 2:

Bidder must identify the model of single-hung window product on which bid is based.

Informational Bid No. 3:

Bidder must identify the model of projected window product on which bid is based.

CONTRACT AWARD:

The Commissioner of Public Works will award the contract on the basis of the Base Bid only or the Base Bid and the Deduct Alternate as funds permit.

CONTRACT BREAKDOWN:

Shortly after the award of the contract, each contractor shall submit a list showing the cost breakdown of the items in his contract. This list will be used as a basis for estimates of work completed for partial payment.

SITE VISIT:

All contractors should visit the site, consult the drawings and project manual, be familiar with the work of other contractors and determine for themselves all conditions affecting the work. All visits **MUST** be coordinated with Rebecca Rabatin, DPW Facilities Construction Project Coordinator, prior to visiting the site. Rebecca Rabatin may be reached at 286-0637.

Failure by a contractor to be familiar with the project shall not release him from any obligation under this contract to complete the work in strict conformity with the plans and project manual and all City, State and Federal Codes or regulations pertaining to the work.

TIME FOR COMPLETION:

The time for completion is stated in the Specific Official Notice. The contractor may begin procuring materials and off-site fabricating (as appropriate and approved by engineer) on the date on the Notice to Proceed. The Notice to Proceed will be sent to the contractor directly following the signing of the contract.

BASE BID EXCLUSIONS:

Any and all electrical work is to be performed by the City.

ADDITIONAL PLANS/PROJECT MANUALS

The successful contractor will be responsible for furnishing all additional copies of plans, project manuals, addenda, etc., as may be needed by the contractor and subcontractors. The City will cooperate by making originals available to the contractor's printer of choice.

SECTION 00700: GENERAL CONDITIONS1. SCOPE:A. Index:

1. Scope
2. DPW General Specifications
3. Definitions
4. Control of Work and Materials
5. Samples and Tests
6. Project Coordination
7. Supervision of Work
8. Technical Specifications and Drawings
9. Safety Regulations
10. Code Rules

2. Department of Public Works General Specifications:

Provisions of the Department of Public Works General Specifications dated January 31, 1992, and subsequent addenda except as may be modified or expanded upon in this project manual, shall apply to all contractors and subcontractors working on the project. Copies of the General Specifications may be obtained from the Department of Public Works General Office, Room 501 Zeidler Municipal Building, 841 North Broadway, Milwaukee, Wisconsin, or from the Facilities Development and Management Section, Room 602, Zeidler Municipal Building.

3. Definitions:

- A. Owner: City of Milwaukee.
- B. Facilities Manager: The Facilities Manager of the Facilities Development and Management Section.
- C. Project Inspector: The authorized representative of the Commissioner assigned to make detailed inspection of any or all portions of the work and materials thereof. These inspections are not a substitute to those required by the Department of Neighborhood Services for permit and code compliance.
- D. Addenda: Written or graphic instruments issued prior to the execution of the contract which modify or interpret the bidding documents, including drawings and project manual by additions, deletions, clarifications or corrections. Addenda will become part of the contract documents when the contract is executed.
- E. Contract Drawings: Drawings of the work to be done as listed hereafter in Section 00850 Drawing Schedule and/or Section 00870 Plans and Details.

4. Control of Work and Materials:

- A. Detail and Shop Drawings: Shop drawings and other additional drawings which may be required for each contract of the work shall be prepared by each respective contractor unless otherwise directed by the Facilities Manager. Prints shall be the same size as contract

documents when practical. Prints of each drawing shall be submitted to the Facilities Manager for approval before proceeding with the work. Changes ordered by the Facilities Manager shall be made and revised prints submitted as above. The Facilities Manager's approval of drawings shall not relieve the contractor of responsibility for errors.

- B. Primary Lines and Grades: The City of Milwaukee will mark two building corners along a line and will establish a benchmark, with a relative elevation, within close proximity to the site. Once established by the City, the contractor shall preserve all points and benchmark as long as needed during construction. The contractor will bear all costs associated with re-establishing points and benchmark.
 - C. Construction Lines and Grades: The contractor must bear sole responsibility for the correct transferal of all construction lines and grades from the primary lines and grades points. He shall take such measurements from existing work as may be necessary to insure the proper construction of his work.
 - D. Material Orders and Shipping Statements: The contractor shall furnish to the Facilities Manager at least two (2) copies of all material orders and shipping statements. Itemized weights of the materials and individual units of finished work shall be shown.
 - E. Weighing of Materials and Fabricated Units: The weighing of materials and fabricated units such as structural steel, casings, etc., when required, shall be done in the presence of the Commissioner's representative. The contractor shall be responsible for the satisfactory weighing of such materials and units.
 - F. Consignment and Delivery of Materials: The materials for the work shall be consigned to the contractor and he shall be responsible for the delivery of all materials required for the completion of the contract.
5. Samples and Tests:
- A. Method of Sampling: Samples of the materials proposed or furnished for the work may be taken by the Commissioner at any time; at the point of manufacture, point of delivery or site of work. They will be selected, as far as practicable, in accordance with standard methods of sampling such materials as specified in the standard of the American Society for Testing Material. All sampling shall be done by authorized representatives of the Commissioner. Selections will be in an orderly and systematic manner, insuring samples representative of the lot.
 - B. A.S.T.M. Standards: Wherever the abbreviation A.S.T.M. is used in connection with the number of a standard specification, the specification referred to shall be the Standard of the American Society for Testing Materials, designated by that number, including all revisions in effect on the date of award of the contract. Should a revised or amended standard be issued by the American Society for Testing Materials which, in the opinion of the Commissioner, conflicts with or causes undesirable changes in the standards referred to herein, the Commissioner reserves the right, by means of addenda to the project manual, to continue under the provisions of the pertinent standard referred to herein.
 - C. Cost of Test Specimens and Samples: All test specimens of metals and all samples of non-metals required for tests shall be furnished by the contractor without cost to the City.
 - D. Costs of Tests: All tests on test specimens of metals will be made at the expense of the

contractor and the original test on samples of non-metals will be made at the expense of the City. In all cases, the testing procedure will be in accordance with Standard A.S.T.M. tests for such materials. Subsequent tests of non-metals requested by the contractor, when such tests are permitted by A.S.T.M. Specifications and approved by the Commissioner or subsequent tests ordered by the Commissioner will be made at the expense of the contractor.

6. Project Coordination:

- A. Contractors are required, so far as possible, to arrange work and to dispose of materials so as not to interfere with the work or storage of materials of other contractors or City forces engaged upon the work.
- B. Contractors shall give full cooperation to other trades and furnish any information necessary to permit the work of all trades to be installed satisfactorily and with the least possible interference or delay.
- C. Where the work of a contractor will be installed in close proximity to the work of other trades, or where there is evidence that the work of a contractor will interfere with the work of other trades, he shall assist in working out space conditions to make satisfactory adjustments.
- D. If a contractor installs work before coordinating it with other trades or so as to cause interference with work of other trades, he shall make necessary changes in his work to correct the condition without extra charge.
- E. Contractors are required to join their work to that of others in a proper manner, and in accordance with the spirit of the plans and project manual, and to perform the work in the proper sequence in relation to that of other contractors, and as may be directed by the Project Inspector.

7. Supervision of Work:

- A. Contractors shall furnish the services of an experienced engineer or superintendent.
- B. He shall be constantly in charge of the installation of the work together with all subcontractors, skilled workers, helpers, and labor required to unload, transfer, erect, connect up, adjust, start, operate and test each system.
- C. He shall be thoroughly acquainted with and be responsible for the various subcontractors' work so that it is properly coordinated and supervised to the satisfaction of the Commissioner of Public Works or his representative.
- D. Upon written notice to a contractor of the lack of such coordination and supervision, the Commissioner of Public Works may authorize such services as may be required and deduct the cost of this service at an hourly rate of \$60.00 per hour per worker from the contract for the work.

8. Technical Specifications and Drawings:

- A. Governing order of Contract Documents:
 - 1. The following provision modifies DPW General Specifications Item 2.1.3.1:

Anything mentioned in the Technical Specifications and not shown on the drawings or shown on the drawings and not mentioned in the Technical Specifications shall be as if shown on or mentioned in both. In case of difference between drawings and Technical Specifications, the Technical Specifications shall govern. In case of any discrepancy in drawings or Technical Specifications, the matter shall be immediately submitted to Buildings & Fleet Services for decision. Said discrepancy shall not be adjusted by the contractor.

B. All contractors shall have complete sets of plans and project manuals on the job site at all times.

9. Safety Regulations:

All work shall be done in accordance with the safety requirements referenced in the International Building Code, as adopted and amended by the State of Wisconsin and OSHA.

10. Code Rules:

The rulings, regulations and laws of the following shall be complied with in the completion of this project:

- International Building Code, as amended and adopted by the State of Wisconsin
- Plumbing and Drainage Codes of the City of Milwaukee
- Ordinances of the City of Milwaukee
- National Board of Fire Underwriters
- OSHA
- NFPA
- FAA
- NEC
- IEEE
- UL

00821/1

SECTION 00821: INSPECTION CHARGES

The contractor will be charged a fee for inspection for each and every day such inspection is required after the time allowed for completion has expired.

The amount of the fee for inspection shall be \$325.00 per day.

Rev. 2/08

The time allowed for completion is stated in the Specific Official Notice and shall start with the date on the Notice to Proceed which will be sent to the contractor directly following the signing of the contract. The time allowed includes the time required for fabricating and procuring material and doing the work at the building site.

PREVAILING WAGE RATE DETERMINATION

Issued by the State of Wisconsin
 Department of Workforce Development
 Pursuant to s. 66.0903, Wis. Stats.
 Issued On: 01/10/2013
 Amended On: 02/18/2013

DETERMINATION NUMBER: 201300081

EXPIRATION DATE: Prime Contracts MUST Be Awarded or Negotiated On Or Before 12/31/2013. If NOT, You MUST Reapply.

PROJECT NAME: ALL PUBLIC WORKS PROJECTS UNDER SEC 66.0903, STATS - CITY OF MILWAUKEE

PROJECT LOCATION: MILWAUKEE CITY, MILWAUKEE COUNTY, WI

CONTRACTING AGENCY: CITY OF MILWAUKEE-DEPT OF PUBLIC WORKS

CLASSIFICATION:	Contractors are responsible for correctly classifying their workers. Either call the Department of Workforce Development (DWD) with trade or classification questions or consult DWD's Dictionary of Occupational Classifications & Work Descriptions on the DWD website at: dwd.wisconsin.gov/er/prevailing_wage_rate/Dictionary/dictionary_main.htm .
OVERTIME:	<p>Time and one-half must be paid for all hours worked:</p> <ul style="list-style-type: none"> - over 10 hours per day on prevailing wage projects - over 40 hours per calendar week - Saturday and Sunday - on all of the following holidays: January 1; the last Monday in May; July 4; the 1st Monday in September; the 4th Thursday in November; December 25; - The day before if January 1, July 4 or December 25 falls on a Saturday; - The day following if January 1, July 4 or December 25 falls on a Sunday. <p>Apply the time and one-half overtime calculation to whichever is higher between the Hourly Basic Rate listed on this project determination or the employee's regular hourly rate of pay. Add any applicable Premium or DOT Premium to the Hourly Basic Rate before calculating overtime.</p> <p>A DOT Premium (discussed below) may supersede this time and one-half requirement.</p>
FUTURE INCREASE:	When a specific trade or occupation requires a future increase, you MUST add the full hourly increase to the "TOTAL" on the effective date(s) indicated for the specific trade or occupation.
PREMIUM PAY:	If indicated for a specific trade or occupation, the full amount of such pay MUST be added to the "HOURLY BASIC RATE OF PAY" indicated for such trade or occupation, whenever such pay is applicable.
DOT PREMIUM:	This premium only applies to highway and bridge projects owned by the Wisconsin Department of Transportation and to the project type heading "Airport Pavement or State Highway Construction." DO NOT apply the premium calculation under any other project type on this determination.
APPRENTICES:	Pay apprentices a percentage of the applicable journey person's hourly basic rate of pay and hourly fringe benefit contributions specified in this determination. Obtain the appropriate percentage from each apprentice's contract or indenture.
SUBJOURNEY:	Subjourney wage rates may be available for some of the trades or occupations indicated below with the exception of laborers, truck drivers and heavy equipment operators. Any employer interested in using a subjourney classification on this project MUST complete Form ERD-10880 and request the applicable wage rate from the Department of Workforce Development PRIOR to using the subjourney worker on this project.

This document **MUST BE POSTED** by the **CONTRACTING AGENCY** in at least one conspicuous and easily accessible place **on the site of the project**. A local governmental unit may post this document at the place normally used to post public notices if there is no common site on the project. This document **MUST** remain posted during the entire time any worker is employed on the project and **MUST** be physically incorporated into the specifications and all contracts and subcontracts. If you have any questions, please write to the Equal Rights Division, Labor Standards Bureau, P.O. Box 8928, Madison, Wisconsin 53708 or call (608) 266-6861.

The following statutory provisions apply to local governmental unit projects of public works and are set forth below pursuant to the requirements of s. 66.0903(8), Stats.

s. 66.0903 (1) (f) & s. 103.49 (1) (c) "PREVAILING HOURS OF LABOR" for any trade or occupation in any area means 10 hours per day and 40 hours per week and may not include any hours worked on a Saturday or Sunday or on any of the following holidays:

1. January 1.
2. The last Monday in May.
3. July 4.
4. The first Monday in September.
5. The 4th Thursday in November.
6. December 25.
7. The day before if January 1, July 4 or December 25 falls on a Saturday.
8. The day following if January 1, July 4 or December 25 falls on a Sunday.

s. 66.0903 (10) RECORDS; INSPECTION; ENFORCEMENT.

(a) Each contractor, subcontractor, or contractor's or subcontractor's agent performing work on a project of public works that is subject to this section shall keep full and accurate records clearly indicating the name and trade or occupation of every person performing the work described in sub. (4) and an accurate record of the number of hours worked by each of those persons and the actual wages paid for the hours worked.

s. 66.0903 (11) LIABILITY AND PENALTIES.

(a) 1. Any contractor, subcontractor, or contractor's or subcontractor's agent who fails to pay the prevailing wage rate determined by the department under sub. (3) or who pays less than 1.5 times the hourly basic rate of pay for all hours worked in excess of the prevailing hours of labor is liable to any affected employee in the amount of his or her unpaid wages or his or her unpaid overtime compensation and in an additional amount as liquidated damages as provided under subd. 2., 3., whichever is applicable.

2. If the department determines upon inspection under sub. (10) (b) or (c) that a contractor, subcontractor, or contractor's or subcontractor's agent has failed to pay the prevailing wage rate determined by the department under sub. (3) or has paid less than 1.5 times the hourly basic rate of pay for all hours worked in excess of the prevailing hours of labor, the department shall order the contractor to pay to any affected employee the amount of his or her unpaid wages or his or her unpaid overtime compensation and an additional amount equal to 100 percent of the amount of those unpaid wages or that unpaid overtime compensation as liquidated damages within a period specified by the department in the order.

3. In addition to or in lieu of recovering the liability specified in subd. 1. as provided in subd. 2., any employee for and in behalf of that employee and other employees similarly situated may commence an action to recover that liability in any court of competent jurisdiction. If the court finds that a contractor, subcontractor, or contractor's or subcontractor's agent has failed to pay the prevailing wage rate determined by the department under sub. (3) or has paid less than 1.5 times the hourly basic rate of pay for all hours worked in excess of the prevailing hours of labor, the court shall order the contractor, subcontractor, or agent to pay to any affected employee the amount of his or her unpaid wages or his or her unpaid overtime compensation and an additional amount equal to 100 percent of the amount of those unpaid wages or that unpaid overtime compensation as liquidated damages.

5. No employee may be a party plaintiff to an action under subd. 3. unless the employee consents in writing to become a party and the consent is filed in the court in which the action is brought. Notwithstanding s. 814.04 (1), the court shall, in addition to any judgment awarded to the plaintiff, allow reasonable attorney fees and costs to be paid by the defendant.

BUILDING OR HEAVY CONSTRUCTION

Includes sheltered enclosures with walk-in access for the purpose of housing persons, employees, machinery, equipment or supplies and non-sheltered work such as canals, dams, dikes, reservoirs, storage tanks, etc. A sheltered enclosure need not be "habitable" in order to be considered a building. The installation of machinery and/or equipment, both above and below grade level, does not change a project's character as a building. On-site grading, utility work and landscaping are included within this definition. Residential buildings of four (4) stories or less, agricultural buildings, parking lots and driveways are NOT included within this definition.

SKILLED TRADES

Fringe Benefits Must Be Paid On <u>All</u> Hours Worked		HOURLY BASIC RATE OF PAY	HOURLY FRINGE BENEFITS	TOTAL
CODE	TRADE OR OCCUPATION	\$	\$	\$
101	Acoustic Ceiling Tile Installer Future Increase(s): Add \$.75/hr on 6/3/2013. Add \$1.25/hr on 6/2/2014.	32.93	19.81	52.74
102	Boilermaker	31.09	27.23	58.32
103	Bricklayer, Blocklayer or Stonemason Future Increase(s): Add \$1.45/hr on 6/01/2013 Premium Increase(s): DOT PREMIUM: Pay two times the hourly basic rate on Sunday, New Year's Day, Memorial Day, Independence Day, Labor Day, Thanksgiving Day & Christmas Day.	35.80	16.87	52.67
104	Cabinet Installer Future Increase(s): Add \$.75/hr on 6/3/2013. Add \$1.25/hr on 6/2/2014.	32.93	19.81	52.74
105	Carpenter Future Increase(s): Add \$.75/hr on 6/3/2013. Add \$1.25/hr on 6/2/2014. Premium Increase(s): DOT PREMIUM: Pay two times the hourly basic rate on Sunday, New Year's Day, Memorial Day, Independence Day, Labor Day, Thanksgiving Day & Christmas Day.	32.93	19.81	52.74
106	Carpet Layer or Soft Floor Coverer	33.43	19.21	52.64
107	Cement Finisher	32.57	17.03	49.60
108	Drywall Taper or Finisher	29.87	18.79	48.66
109	Electrician Future Increase(s): Add \$1.60/hr on 6/1/2013. Premium Increase(s): DOT PREMIUM: Pay two times the hourly basic rate on Sunday, New Year's Day, Memorial Day, Independence Day, Labor Day, Thanksgiving Day & Christmas Day.	32.20	21.71	53.91
110	Elevator Constructor	41.71	23.88	65.59
111	Fence Erector	28.00	4.50	32.50
112	Fire Sprinkler Fitter	37.45	19.30	56.75

Fringe Benefits Must Be Paid On <u>All</u> Hours Worked		HOURLY BASIC RATE OF PAY	HOURLY FRINGE BENEFITS	TOTAL
CODE	TRADE OR OCCUPATION	\$	\$	\$
113	Glazier	34.19	18.25	52.44
114	Heat or Frost Insulator	33.93	23.26	57.19
115	Insulator (Batt or Blown)	27.47	19.16	46.63
116	Ironworker	31.31	21.99	53.30
117	Lather	33.43	19.31	52.74
118	Line Constructor (Electrical)	37.05	16.94	53.99
119	Marble Finisher	20.00	0.00	20.00
120	Marble Mason	35.58	16.37	51.95
121	Metal Building Erector	18.50	3.20	21.70
122	Millwright	28.28	24.19	52.47
123	Overhead Door Installer	27.30	3.28	30.58
124	Painter	29.27	18.18	47.45
125	Pavement Marking Operator	30.00	0.00	30.00
126	Piledriver Future Increase(s): Add \$.75/hr on 6/3/2013. Premium Increase(s): Add \$.65/hr for Piledriver Loftsmen; Add \$.75/hr for Sheet Piling Loftsmen. DOT PREMIUM: Pay two times the hourly basic rate on Sunday, New Year's Day, Memorial Day, Independence Day, Labor Day, Thanksgiving Day & Christmas Day.	29.06	25.46	54.52
127	Pipeline Fuser or Welder (Gas or Utility)	31.18	19.29	50.47
129	Plasterer	32.06	17.68	49.74
130	Plumber Future Increase(s): Add \$1.00/hr 6/1/2013; Add \$1.00/hr 6/1/2014.	36.47	19.47	55.94
132	Refrigeration Mechanic	37.76	19.99	57.75
133	Roofer or Waterproofer	29.40	15.55	44.95
134	Sheet Metal Worker Future Increase(s): Add \$1.41/hour 6/1/2013; Add \$1.56/hour 6/1/2014.	36.17	18.00	54.17
135	Steamfitter	37.76	19.99	57.75
137	Teledata Technician or Installer Premium Increase(s): DOT PREMIUM: Pay two times the hourly basic rate on Sunday, New Year's Day, Memorial Day, Independence Day, Labor Day, Thanksgiving Day & Christmas Day.	24.75	16.08	40.83

Fringe Benefits Must Be Paid On <u>All</u> Hours Worked		HOURLY BASIC RATE OF PAY	HOURLY FRINGE BENEFITS	TOTAL
CODE	TRADE OR OCCUPATION	\$	\$	\$
138	Temperature Control Installer	37.31	19.49	56.80
139	Terrazzo Finisher Future Increase(s): Add \$.80 on 6/1/2013	26.57	16.50	43.07
140	Terrazzo Mechanic	29.51	17.63	47.14
141	Tile Finisher	22.27	6.52	28.79
142	Tile Setter	29.70	16.05	45.75
143	Tuckpointer, Caulker or Cleaner	34.35	11.13	45.48
144	Underwater Diver (Except on Great Lakes)	34.16	15.31	49.47
146	Well Driller or Pump Installer Future Increase(s): Add \$.20/hr on 06/01/2013.	25.32	15.45	40.77
147	Siding Installer	37.20	17.01	54.21
150	Heavy Equipment Operator - ELECTRICAL LINE CONSTRUCTION ONLY	28.24	15.10	43.34
151	Light Equipment Operator -ELECTRICAL LINE CONSTRUCTION ONLY	29.64	14.64	44.28
152	Heavy Truck Driver - ELECTRICAL LINE CONSTRUCTION ONLY	25.94	13.57	39.51
153	Light Truck Driver - ELECTRICAL LINE CONSTRUCTION ONLY	24.08	12.96	37.04
154	Groundman - ELECTRICAL LINE CONSTRUCTION ONLY	24.00	11.57	35.57

TRUCK DRIVERS

Fringe Benefits Must Be Paid On <u>All</u> Hours Worked		HOURLY BASIC RATE OF PAY	HOURLY FRINGE BENEFITS	TOTAL
CODE	TRADE OR OCCUPATION	\$	\$	\$
201	Single Axle or Two Axle	33.32	17.60	50.92
203	Three or More Axle	18.00	9.50	27.50
204	Articulated, Euclid, Dumptor, Off Road Material Hauler Future Increase(s): Add \$0.75/hour 6/3/2013; Add \$1.00/hour 6/2/2014; Add \$1.50/hour 6/1/2015; Add \$1.60/hour 5/30/2016.	33.52	17.60	51.12
205	Pavement Marking Vehicle	20.85	11.02	31.87
207	Truck Mechanic	18.00	9.50	27.50

LABORERS

Fringe Benefits Must Be Paid On <u>All</u> Hours Worked		HOURLY BASIC RATE OF PAY	HOURLY FRINGE BENEFITS	TOTAL
CODE	TRADE OR OCCUPATION	\$	\$	\$
301	General Laborer Premium Increase(s): Add \$.11 for mortar mixer, fork lift operator, air and electric equipment and power buggy operators; Add \$.22 for jackhammer operator, certified welder, gunite machineman.	28.82	16.11	44.93
302	Asbestos Abatement Worker	18.00	0.00	18.00
303	Landscaper	11.00	3.97	14.97
310	Gas or Utility Pipeline Laborer (Other Than Sewer and Water)	19.69	16.03	35.72
311	Fiber Optic Laborer (Outside, Other Than Concrete Encased)	17.24	15.03	32.27
314	Railroad Track Laborer	14.50	3.53	18.03
315	Final Construction Clean-Up Worker	28.82	15.61	44.43

**HEAVY EQUIPMENT OPERATORS
SITE PREPARATION, UTILITY OR LANDSCAPING WORK ONLY**

Fringe Benefits Must Be Paid On <u>All</u> Hours Worked		HOURLY BASIC RATE OF PAY	HOURLY FRINGE BENEFITS	TOTAL
CODE	TRADE OR OCCUPATION	\$	\$	\$
501	Air Track, Rotary or Percussion Drilling Machine &/or Hammers, Blaster; Asphalt Milling Machine; Boring Machine (Directional, Horizontal or Vertical); Backhoe (Track Type) Having a Mfgr's Rated Capacity of 130,000 Lbs. or Over; Backhoe (Track Type) Having a Mfgr's Rated Capacity of Under 130,000 Lbs., Backhoe (Mini, 15,000 Lbs. & Under); Bulldozer or Endloader (Over 40 hp); Compactor (Self-Propelled 85 Ft Total Drum Width & Over, or Tractor Mounted, Towed & Light Equipment); Concrete Batch Plant, Batch Hopper; Concrete Breaker (Large, Auto, Vibratory/Sonic, Manual or Remote); Crane, Shovel, Dragline, Clamshells; Forklift (Machinery Moving or Steel Erection, 25 Ft & Over); Gradall (Cruz-Aire Type); Grader or Motor Patrol; Master Mechanic; Mechanic or Welder; Robotic Tool Carrier (With or Without Attachments); Scraper (Self Propelled or Tractor Drawn) 5 cu yds or More Capacity; Tractor or Truck Mounted Hydraulic Backhoe; Tractor or Truck Mounted Hydraulic Crane (10 Tons or Under); Tractor (Scraper, Dozer, Pusher, Loader); Trencher (Wheel Type or Chain Type Having Over 8 Inch Bucket). Future Increase(s): Add \$0.75/hour 6/3/2013; Add \$1.00/hour 6/2/2014; Add \$1.50/hour 6/1/2015; Add \$1.60/hour 5/30/2016.	33.82	17.60	51.42

Fringe Benefits Must Be Paid On <u>All</u> Hours Worked		HOURLY BASIC RATE OF PAY	HOURLY FRINGE BENEFITS	TOTAL
CODE	TRADE OR OCCUPATION	\$	\$	\$
502	Backfiller; Broom or Sweeper; Bulldozer or Endloader (Under 40 hp); Environmental Burner; Forestry Equipment, Timbco, Tree Shear, Tub Grinder, Processor; Jeep Digger; Screed (Milling Machine); Skid Rig; Straddle Carrier or Travel Lift; Stump Chipper; Trencher (Wheel Type or Chain Type Having 8 Inch Bucket & Under). Future Increase(s): Add \$0.75/hour 6/3/2013; Add \$1.00/hour 6/2/2014; Add \$1.50/hour 6/1/2015; Add \$1.60/hour 5/30/2016.	33.52	17.60	51.12
503	Air Compressor (&/or 400 CFM or Over); Augers (Vertical & Horizontal); Compactor (Self-Propelled 84 Ft Total Drum Width & Under, or Tractor Mounted, Towed & Light Equipment); Crusher, Screening or Wash Plant; Farm or Industrial Type Tractor; Forklift; Generator (&/or 150 KW or Over); Greaser; High Pressure Utility Locating Machine (Daylighting Machine); Mulcher; Oiler; Post Hole Digger or Driver; Pump (3 Inch or Over) or Well Points; Refrigeration Plant or Freeze Machine; Rock, Stone Breaker; Skid Steer Loader (With or Without Attachments); Vibratory Hammer or Extractor, Power Pack. Future Increase(s): Add \$0.75/hour 6/3/2013; Add \$1.00/hour 6/2/2014; Add \$1.50/hour 6/1/2015; Add \$1.60/hour 5/30/2016.	33.52	17.60	51.12
504	Work Performed on the Great Lakes Including Diver; Wet Tender or Hydraulic Dredge Engineer.	37.45	19.45	56.90
505	Work Performed on the Great Lakes Including Crane or Backhoe Operator; Assistant Hydraulic Dredge Engineer; Hydraulic Dredge Leverman or Diver's Tender; Mechanic or Welder; 70 Ton & Over Tug Operator. Future Increase(s): Add \$2.19/hr on 01/01/2013; Add \$2.00/hr on 01/01/2014. Premium Increase(s): Add \$.50/hr for Friction Crane, Lattice Boom or Crane Certification (CCO).	38.80	20.17	58.97
506	Work Performed on the Great Lakes Including Deck Equipment Operator or Machineryman (Maintains Cranes Over 50 Tons or Backhoes 115,000 Lbs. or More); Tug, Launch or Loader, Dozer or Like Equipment When Operated on a Barge, Breakwater Wall, Slip, Dock or Scow, Deck Machinery. Future Increase(s): Add \$2.08/hr on 01/01/2013; Add \$2.00/hr on 01/01/2014.	34.50	20.04	54.54
507	Work Performed on the Great Lakes Including Deck Equipment Operator, Machineryman or Fireman (Operates 4 Units or More or Maintains Cranes 50 Tons or Under or Backhoes 115,000 Lbs. or Under); Deck Hand, Deck Engineer or Assistant Tug Operator; Off Road Trucks - Great Lakes ONLY. Future Increase(s): Add \$1.88/hr on 01/01/2013; Add \$2.00/hr on 01/01/2014.	28.70	19.86	48.56

**HEAVY EQUIPMENT OPERATORS
EXCLUDING SITE PREPARATION, UTILITY, PAVING LANDSCAPING WORK**

Fringe Benefits Must Be Paid On <u>All</u> Hours Worked		HOURLY BASIC RATE OF PAY	HOURLY FRINGE BENEFITS	TOTAL
CODE	TRADE OR OCCUPATION	\$	\$	\$
508	Boring Machine (Directional); Crane, Tower Crane, Pedestal Tower or Derrick, With or Without Attachments, With a Lifting Capacity of Over 100 Tons, Self-Erecting Tower Crane With a Lifting Capacity of Over 4,000 Lbs., Crane With Boom Dollies; Crane, Tower Crane, Pedestal Tower or Derrick, With Boom, Leads &/or Jib Lengths Measuring 176 Ft or Over; Master Mechanic. Premium Increase(s): Crane Operators with CCO certification add \$.50/hr. Cranes with boom length over 200 ft. not exceeding 300 ft. OR lifting capacity over 200 ton not exceeding 300 ton add \$.50/hr. Over 300 ton OR 300 ft. add \$.01/hr. per foot OR ton whichever is greater.	39.16	19.10	58.26
509	Backhoe (Track Type) Having a Mfgr's Rated Capacity of 130,000 Lbs. or Over; Boring Machine (Horizontal or Vertical); Caisson Rig; Crane, Tower Crane, Portable Tower, Pedestal Tower or Derrick, With or Without Attachments, With a Lifting Capacity of 100 Tons or Under, Self-Erecting Tower Crane With A Lifting Capacity Of 4,000 Lbs. & Under; Crane, Tower Crane, Portable Tower, Pedestal Tower or Derrick, With Boom, Leads &/or Jib Lengths Measuring 175 Ft or Under; Pile Driver; Versi Lifts, Tri-Lifts & Gantrys (20,000 Lbs. & Over). Premium Increase(s): Crane Operators with CCO certification add \$.50/hr.	38.66	19.10	57.76
510	Backhoe (Track Type) Having a Mfgr.'s Rated Capacity of Under 130,000 Lbs., Backhoe (Mini, 15,000 Lbs. & Under); Concrete Bump Cutter, Grinder, Planing or Grooving Machine; Concrete Laser/Screed; Concrete Paver (Slipform); Concrete Pump (Over 46 Meter), Concrete Conveyor (Rotec or Bidwell Type); Concrete Slipform Placer Curb & Gutter Machine; Concrete Spreader & Distributor; Dredge (NOT Performing Work on the Great Lakes); Forklift (Machinery Moving or Steel Erection, 25 Ft & Over); Gradall (Cruz-Aire Type); Hydro-Blaster (10,000 PSI or Over); Milling Machine; Skid Rig; Traveling Crane (Bridge Type). Premium Increase(s): Crane Operators with CCO certification add \$.50/hr.	38.16	19.10	57.26

Fringe Benefits Must Be Paid On <u>All</u> Hours Worked		HOURLY BASIC RATE OF PAY	HOURLY FRINGE BENEFITS	TOTAL
CODE	TRADE OR OCCUPATION	\$	\$	\$
511	Air, Track, Rotary or Percussion Drilling Machine &/or Hammers, Blaster; Bulldozer or Endloader (Over 40 hp); Compactor (Self-Propelled 85 Ft Total Drum Width & Over, or Tractor Mounted, Towed & Light Equipment); Concrete Pump (46 Meter & Under), Concrete Conveyor (Rotec or Bidwell Type); Crane (Carry Deck, Mini) or Truck Mounted Hydraulic Crane (10 Tons or Under); Environmental Burner; Gantrys (Under 20,000 Lbs.); Grader or Motor Patrol; High Pressure Utility Locating Machine (Daylighting Machine); Manhoist; Material or Stack Hoist; Mechanic or Welder; Railroad Track Rail Leveling Machine, Tie Placer, Extractor, Tamper, Stone Leveler or Rehabilitation Equipment; Roller (Over 5 Ton); Scraper (Self Propelled or Tractor Drawn) 5 cu yd or More Capacity; Screed (Milling Machine); Sideboom; Straddle Carrier or Travel Lift; Tining or Curing Machine; Tractor (Scraper, Dozer, Pusher, Loader); Tractor or Truck Mounted Hydraulic Backhoe; Tractor or Truck Mounted Hydraulic Crane (10 Tons or Under); Trencher (Wheel Type or Chain Type Having Over 8-Inch Bucket).	37.47	19.10	56.57
512	Backfiller; Broom or Sweeper; Bulldozer or Endloader (Under 40 hp); Compactor (Self-Propelled 84 Ft Total Drum Width & Under, or Tractor Mounted, Towed & Light Equipment); Concrete Batch Plant, Batch Hopper; Concrete Breaker (Large, Auto, Vibratory/Sonic, Manual or Remote); Concrete Conveyor System; Concrete Finishing Machine (Road Type); Fireman (Pile Driver & Derrick NOT Performing Work on the Great Lakes); Grout Pump; Hoist (Tugger, Automatic); Industrial Locomotives; Jeep Digger; Lift Slab Machine; Mulcher; Roller (Rubber Tire, 5 Ton or Under); Screw or Gypsum Pumps; Stabilizing or Concrete Mixer (Self-Propelled or 14S or Over); Stump Chipper; Trencher (Wheel Type or Chain Type Having 8-Inch Bucket & Under); Winches & A-Frames. Future Increase(s): Add \$0.75/hour 6/3/2013; Add \$1.00/hour 6/2/2014; Add \$1.50/hour 6/1/2015; Add \$1.60/hour 5/30/2016.	33.82	17.60	51.42
513	Air Compressor (&/or 400 CFM or Over); Air, Electric or Hydraulic Jacking System; Augers (Vertical & Horizontal); Boatmen (NOT Performing Work on the Great Lakes); Boiler (Temporary Heat); Crusher, Screening or Wash Plant; Elevator; Farm or Industrial Type Tractor; Fireman (Asphalt Plant NOT Performing Work on the Great Lakes); Forklift; Generator (&/or 150 KW or Over); Greaser; Heaters (Mechanical); Loading Machine (Conveyor); Oiler; Post Hole Digger or Driver; Prestress Machine; Pump (3 Inch or Over) or Well Points; Refrigeration Plant or Freeze Machine; Robotic Tool Carrier (With or Without Attachments); Rock, Stone Breaker; Skid Steer Loader (With or Without Attachments); Vibratory Hammer or Extractor, Power Pack.	30.44	19.10	49.54
514	Gas or Utility Pipeline, Except Sewer & Water (Primary Equipment). Future Increase(s): Add \$2/hr on 1/1/2013.	34.89	20.59	55.48
515	Gas or Utility Pipeline, Except Sewer & Water (Secondary Equipment). Future Increase(s): Add \$1.60/hr on 06/01/2013; Add \$1.60/hr on 06/01/2014; Add \$1.65/hr on 06/01/2015	32.26	17.95	50.21
516	Fiber Optic Cable Equipment	20.00	7.88	27.88

SEWER, WATER OR TUNNEL CONSTRUCTION
--

Includes those projects that primarily involve public sewer or water distribution, transmission or collection systems and related tunnel work (excluding buildings).

SKILLED TRADES

CODE	TRADE OR OCCUPATION	Fringe Benefits Must Be Paid On <u>All</u> Hours Worked		
		HOURLY BASIC RATE OF PAY	HOURLY FRINGE BENEFITS	TOTAL
		\$	\$	\$
103	Bricklayer, Blocklayer or Stonemason Future Increase(s): Add \$1.45/hr on 6/01/2013 Premium Increase(s): DOT PREMIUM: Pay two times the hourly basic rate on Sunday, New Year's Day, Memorial Day, Independence Day, Labor Day, Thanksgiving Day & Christmas Day.	35.80	16.87	52.67
105	Carpenter Future Increase(s): Add \$.75/hr on 6/3/2013. Add \$1.25/hr on 6/2/2014. Premium Increase(s): DOT PREMIUM: Pay two times the hourly basic rate on Sunday, New Year's Day, Memorial Day, Independence Day, Labor Day, Thanksgiving Day & Christmas Day.	32.93	19.81	52.74
107	Cement Finisher	30.68	16.75	47.43
109	Electrician Future Increase(s): Add \$1.60/hr on 6/1/2013. Premium Increase(s): DOT PREMIUM: Pay two times the hourly basic rate on Sunday, New Year's Day, Memorial Day, Independence Day, Labor Day, Thanksgiving Day & Christmas Day.	32.20	21.71	53.91
111	Fence Erector	28.00	4.50	32.50
116	Ironworker	30.90	19.11	50.01
118	Line Constructor (Electrical)	37.05	16.94	53.99
125	Pavement Marking Operator	28.10	15.00	43.10
126	Piledriver	29.56	24.96	54.52
130	Plumber	36.97	17.66	54.63
135	Steamfitter	38.26	19.49	57.75
137	Teledata Technician or Installer	24.65	15.67	40.32
143	Tuckpointer, Caulker or Cleaner	34.35	11.13	45.48
144	Underwater Diver (Except on Great Lakes)	37.45	19.45	56.90
146	Well Driller or Pump Installer	21.00	2.23	23.23

Fringe Benefits Must Be Paid On <u>All</u> Hours Worked		HOURLY BASIC RATE OF PAY	HOURLY FRINGE BENEFITS	TOTAL
CODE	TRADE OR OCCUPATION	\$	\$	\$
150	Heavy Equipment Operator - ELECTRICAL LINE CONSTRUCTION ONLY	28.24	15.10	43.34
151	Light Equipment Operator -ELECTRICAL LINE CONSTRUCTION ONLY	29.64	14.64	44.28
152	Heavy Truck Driver - ELECTRICAL LINE CONSTRUCTION ONLY	25.94	13.57	39.51
153	Light Truck Driver - ELECTRICAL LINE CONSTRUCTION ONLY	24.08	12.96	37.04
154	Groundman - ELECTRICAL LINE CONSTRUCTION ONLY	21.75	11.90	33.65

TRUCK DRIVERS

Fringe Benefits Must Be Paid On <u>All</u> Hours Worked		HOURLY BASIC RATE OF PAY	HOURLY FRINGE BENEFITS	TOTAL
CODE	TRADE OR OCCUPATION	\$	\$	\$
201	Single Axle or Two Axle	25.87	13.00	38.87
203	Three or More Axle	18.00	0.00	18.00
204	Articulated, Euclid, Dumptor, Off Road Material Hauler	31.89	17.98	49.87
205	Pavement Marking Vehicle	20.85	11.02	31.87
207	Truck Mechanic	17.00	0.00	17.00

LABORERS

Fringe Benefits Must Be Paid On <u>All</u> Hours Worked		HOURLY BASIC RATE OF PAY	HOURLY FRINGE BENEFITS	TOTAL
CODE	TRADE OR OCCUPATION	\$	\$	\$
301	General Laborer Premium Increase(s): Add \$1.92 for bottomman; Add \$2.03 for concrete manhole builder, bracer, jointman, or pipelayer; Add \$4.83 for blaster. Add \$2.00 for all tunnel work under 15 lbs. compressed air; Add \$2.00 for 0-30 lbs. compressed air; Add \$3.00 for over 30 lbs. compressed air.	28.95	16.11	45.06
303	Landscaper	26.92	12.51	39.43
304	Flagperson or Traffic Control Person	23.55	13.45	37.00
311	Fiber Optic Laborer (Outside, Other Than Concrete Encased)	17.24	15.03	32.27
314	Railroad Track Laborer	14.50	3.53	18.03

**HEAVY EQUIPMENT OPERATORS
SEWER, WATER OR TUNNEL WORK**

Fringe Benefits Must Be Paid On <u>All</u> Hours Worked		HOURLY BASIC RATE OF PAY	HOURLY FRINGE BENEFITS	TOTAL
CODE	TRADE OR OCCUPATION	\$	\$	\$
521	<p>Backhoe (Track Type) Having a Mfgr.'s Rated Capacity of 130,000 Lbs. or Over; Caisson Rig; Crane, Tower Crane, Pedestal Tower or Derrick, With Boom, Leads &/or Jib Lengths Measuring 176 Ft or Over; Crane, Tower Crane, Pedestal Tower or Derrick, With or Without Attachments, With a Lifting Capacity of Over 100 Tons, Self-Erecting Tower Crane With a Lifting Capacity Of Over 4,000 Lbs., Crane With Boom Dollies; Master Mechanic; Pile Driver.</p> <p>Future Increase(s): Add \$1/hr on 6/2/2013.</p> <p>Premium Increase(s): Add \$.50/hr for >200 Ton / Add \$1/hr at 300 Ton / Add \$1.50 at 400 Ton / Add \$2/hr at 500 Ton & Over.</p>	35.12	18.46	53.58
522	<p>Backhoe (Track Type) Having a Mfgr.'s Rated Capacity of Under 130,000 Lbs., Backhoe (Mini, 15,000 Lbs. & Under); Boring Machine (Directional); Concrete Bump Cutter, Grinder, Planing or Grooving Machine; Concrete Laser/Screed; Concrete Paver (Slipform); Concrete Pump (Over 46 Meter), Concrete Conveyor (Rotec or Bidwell Type); Concrete Spreader & Distributor; Crane, Tower Crane, Portable Tower, Pedestal Tower or Derrick, With Boom, Leads &/or Jib Lengths Measuring 175 Ft or Under; Crane, Tower Crane, Portable Tower, Pedestal Tower or Derrick, With or Without Attachments, With a Lifting Capacity of 100 Tons or Under, Self-Erecting Tower Crane With a Lifting Capacity of 4,000 Lbs. & Under; Dredge (NOT Performing Work on the Great Lakes); Milling Machine; Skid Rig; Telehandler; Traveling Crane (Bridge Type).</p> <p>Premium Increase(s): Add \$.25/hr for operating tower crane.</p>	35.36	19.15	54.51
523	<p>Air Track, Rotary or Percussion Drilling Machine &/or Hammers, Blaster; Boring Machine (Horizontal or Vertical); Bulldozer or Endloader (Over 40 hp); Crane (Carry Deck, Mini) or Truck Mounted Hydraulic Crane (10 Tons or Under); Concrete Pump (46 Meter & Under), Concrete Conveyor (Rotec or Bidwell Type); Concrete Slipform Placer Curb & Gutter Machine; Gradall (Cruz-Aire Type); Grader or Motor Patrol; Hydro-Blaster (10,000 PSI or Over); Manhoist; Material or Stack Hoist; Mechanic or Welder; Roller (Over 5 Ton); Scraper (Self Propelled or Tractor Drawn) 5 cu yd or More Capacity; Screed (Milling Machine); Sideboom; Straddle Carrier or Travel Lift; Tractor (Scraper, Dozer, Pusher, Loader); Tractor or Truck Mounted Hydraulic Backhoe; Tractor or Truck Mounted Hydraulic Crane (10 Tons or Under); Trencher (Wheel Type or Chain Type Having Over 8-Inch Bucket).</p> <p>Premium Increase(s): Add \$.25/hr for operating tower crane.</p>	34.41	19.15	53.56

Fringe Benefits Must Be Paid On <u>All</u> Hours Worked		HOURLY BASIC RATE OF PAY	HOURLY FRINGE BENEFITS	TOTAL
CODE	TRADE OR OCCUPATION	\$	\$	\$
524	Backfiller; Broom or Sweeper; Bulldozer or Endloader (Under 40 hp); Compactor (Self-Propelled 85 Ft Total Drum Width & Over, or Tractor Mounted, Towed & Light Equipment); Concrete Batch Plant, Batch Hopper; Concrete Breaker (Large, Auto, Vibratory/Sonic, Manual or Remote); Concrete Conveyor System; Concrete Finishing Machine (Road Type); Environmental Burner; Fireman (Pile Driver & Derrick NOT Performing Work on the Great Lakes); Forestry Equipment, Timbco, Tree Shear, Tub Grinder, Processor; Hoist (Tugger, Automatic); Grout Pump; Jeep Digger; Lift Slab Machine; Mulcher; Power Subgrader; Pump (3 Inch or Over) or Well Points; Robotic Tool Carrier (With or Without Attachments); Roller (Rubber Tire, 5 Ton or Under); Screw or Gypsum Pumps; Stabilizing or Concrete Mixer (Self-Propelled or 14S or Over); Stump Chipper; Tining or Curing Machine; Trencher (Wheel Type or Chain Type Having 8-Inch Bucket & Under); Winches & A-Frames.	31.89	18.11	50.00
525	Air Compressor (&/or 400 CFM or Over); Air, Electric or Hydraulic Jacking System; Augers (Vertical & Horizontal); Compactor (Self-Propelled 84 Ft Total Drum Width & Under, or Tractor Mounted, Towed & Light Equipment); Crusher, Screening or Wash Plant; Farm or Industrial Type Tractor; Fireman (Asphalt Plant NOT Performing Work on the Great Lakes); Generator (&/or 150 KW or Over); Heaters (Mechanical); High Pressure Utility Locating Machine (Daylighting Machine); Loading Machine (Conveyor); Post Hole Digger or Driver; Refrigeration Plant or Freeze Machine; Rock, Stone Breaker; Skid Steer Loader (With or Without Attachments); Vibratory Hammer or Extractor, Power Pack. Premium Increase(s): Add \$.25/hr for operating tower crane.	31.96	19.15	51.11
526	Boiler (Temporary Heat); Forklift; Greaser; Oiler.	30.44	19.10	49.54
527	Work Performed on the Great Lakes Including Diver; Wet Tender or Hydraulic Dredge Engineer.	37.45	19.45	56.90
528	Work Performed on the Great Lakes Including 70 Ton & Over Tug Operator; Assistant Hydraulic Dredge Engineer; Crane or Backhoe Operator; Hydraulic Dredge Leverman or Diver's Tender; Mechanic or Welder.	37.45	19.45	56.90
529	Work Performed on the Great Lakes Including Deck Equipment Operator or Machineryman (Maintains Cranes Over 50 Tons or Backhoes 115,000 Lbs. or More); Tug, Launch or Loader, Dozer or Like Equipment When Operated on a Barge, Breakwater Wall, Slip, Dock or Scow, Deck Machinery.	27.75	19.15	46.90
530	Work Performed on the Great Lakes Including Deck Equipment Operator; Machineryman or Fireman (Operates 4 Units or More or Maintains Cranes 50 Tons or Under or Backhoes 115,000 Lbs. or Under), Deck Hand, Deck Engineer or Assistant Tug Operator; Off Road Trucks - Great Lakes ONLY.	27.75	19.15	46.90

AIRPORT PAVEMENT OR STATE HIGHWAY CONSTRUCTION

Includes all airport projects (excluding buildings) and all projects awarded by the Wisconsin Department of Transportation (excluding buildings).

SKILLED TRADES

CODE	TRADE OR OCCUPATION	Fringe Benefits Must Be Paid On <u>All</u> Hours Worked		
		HOURLY BASIC RATE OF PAY	HOURLY FRINGE BENEFITS	TOTAL
		\$	\$	\$
103	Bricklayer, Blocklayer or Stonemason	35.58	19.20	54.78
105	Carpenter Future Increase(s): Add \$.75/hr on 6/3/2013. Add \$1.25/hr on 6/2/2014. Premium Increase(s): DOT PREMIUM: Pay two times the hourly basic rate on Sunday, New Year's Day, Memorial Day, Independence Day, Labor Day, Thanksgiving Day & Christmas Day.	32.93	19.81	52.74
107	Cement Finisher Future Increase(s): Add \$1.87 on 6/1/13; Add \$1.87 on 6/1/14; Add \$1.87 on 6/1/15; Add \$1.75 on 6/1/16. Premium Increase(s): DOT PREMIUMS: 1) Pay two times the hourly basic rate on Sunday, New Year's Day, Memorial Day, Independence Day, Labor Day, Thanksgiving Day & Christmas Day. 2) Add \$1.40/hr when the Wisconsin Department of Transportation or responsible governing agency requires that work be performed at night under artificial illumination with traffic control and the work is completed after sunset and before sunrise.	30.69	17.53	48.22
109	Electrician	31.54	21.14	52.68
111	Fence Erector	28.00	4.50	32.50
116	Ironworker	31.31	21.99	53.30
118	Line Constructor (Electrical)	31.29	15.34	46.63
124	Painter	29.22	16.69	45.91
125	Pavement Marking Operator	29.22	16.69	45.91
126	Piledriver	29.56	23.86	53.42
133	Rofer or Waterproofer	29.40	15.05	44.45
137	Teledata Technician or Installer	24.65	15.67	40.32
143	Tuckpointer, Caulker or Cleaner	34.35	11.13	45.48
144	Underwater Diver (Except on Great Lakes)	37.45	19.45	56.90
150	Heavy Equipment Operator - ELECTRICAL LINE CONSTRUCTION ONLY	29.64	17.06	46.70

Fringe Benefits Must Be Paid On <u>All</u> Hours Worked		HOURLY BASIC RATE OF PAY	HOURLY FRINGE BENEFITS	TOTAL
CODE	TRADE OR OCCUPATION	\$	\$	\$
151	Light Equipment Operator -ELECTRICAL LINE CONSTRUCTION ONLY Premium Increase(s): DOT PREMIUM: Pay two times the hourly basic rate on Sunday, New Year's Day, Memorial Day, Independence Day, Labor Day, Thanksgiving Day & Christmas Day.	30.60	14.64	45.24
152	Heavy Truck Driver - ELECTRICAL LINE CONSTRUCTION ONLY	25.94	13.57	39.51
153	Light Truck Driver - ELECTRICAL LINE CONSTRUCTION ONLY	24.08	12.96	37.04
154	Groundman - ELECTRICAL LINE CONSTRUCTION ONLY	21.75	11.90	33.65

TRUCK DRIVERS

Fringe Benefits Must Be Paid On <u>All</u> Hours Worked		HOURLY BASIC RATE OF PAY	HOURLY FRINGE BENEFITS	TOTAL
CODE	TRADE OR OCCUPATION	\$	\$	\$
201	Single Axle or Two Axle	33.22	18.90	52.12
203	Three or More Axle Future Increase(s): Add \$1.85/hr on 6/1/2013. Premium Increase(s): DOT PREMIUM: Pay two times the hourly basic rate on Sunday, New Year's Day, Memorial Day, Independence Day, Labor Day, Thanksgiving Day & Christmas Day.	23.31	17.13	40.44
204	Articulated, Euclid, Dumptor, Off Road Material Hauler Future Increase(s): Add \$2/hr on 6/1/13; Add \$1.75/hr on 6/1/14. Premium Increase(s): DOT PREMIUMS: 1) Pay two times the hourly basic rate on Sunday, New Year's Day, Memorial Day, Independence Day, Labor Day, Thanksgiving Day & Christmas Day. 2) Add \$1.25/hr night work premium. See DOT's website for details about the applicability of this night work premium at: http://roadwaystandards.dot.wi.gov/hcci/labor-wages-eeo/index.shtm .	27.77	19.90	47.67
205	Pavement Marking Vehicle	23.84	14.90	38.74
206	Shadow or Pilot Vehicle	33.22	18.90	52.12
207	Truck Mechanic	22.50	16.19	38.69

LABORERS

Fringe Benefits Must Be Paid On <u>All</u> Hours Worked		HOURLY BASIC RATE OF PAY	HOURLY FRINGE BENEFITS	TOTAL
CODE	TRADE OR OCCUPATION	\$	\$	\$
301	General Laborer Future Increase(s): Add \$1.70/hr on 6/1/2013; Add \$1.60/hr on 6/1/2014. Premium Increase(s): Add \$.15/hr for air tool operator, joint sawer and filler (pavement), vibrator or tamper operator (mechanical hand operated), chain saw operator and demolition burning torch laborer; Add \$.35/hr for bituminous worker (raker and luteman), formsetter (curb, sidewalk and pavement) and strike off man; Add \$.50/hr for line and grade specialist; Add \$.65/hr for blaster and powderman; Add \$2.01/hr for topman; Add \$2.46/hr for bottomman; Add \$3.23/hr for pipelayer. / DOT PREMIUMS: 1) Pay two times the hourly basic rate on Sunday, New Year's Day, Memorial Day, Independence Day, Labor Day, Thanksgiving Day & Christmas Day. 2) Add \$1.25/hr for work on projects involving temporary traffic control setup, for lane and shoulder closures, when work under artificial illumination conditions is necessary as required by the project provisions (including prep time prior to and/or cleanup after such time period).	25.39	18.40	43.79
302	Asbestos Abatement Worker	18.00	0.00	18.00
303	Landscaper Future Increase(s): Add \$1.70/hr on 6/1/13; Add \$1.60/hr on 6/1/14. Premium Increase(s): DOT PREMIUMS: 1) Pay two times the hourly basic rate on Sunday, New Year's Day, Memorial Day, Independence Day, Labor Day, Thanksgiving Day & Christmas Day. 2) Add \$1.25/hr for work on projects involving temporary traffic control setup, for lane and shoulder closures, when work under artificial illumination conditions is necessary as required by the project provisions (including prep time prior to and/or cleanup after such time period).	25.39	18.40	43.79
304	Flagperson or Traffic Control Person Future Increase(s): Add \$1.70/hr on 6/1/2013; Add \$1.60/hr on 6/1/2014. Premium Increase(s): DOT PREMIUMS: 1) Pay two times the hourly basic rate on Sunday, New Year's Day, Memorial Day, Independence Day, Labor Day, Thanksgiving Day & Christmas Day. 2) Add \$1.25/hr when the Wisconsin Department of Transportation or responsible governing agency requires that work be performed at night under artificial illumination with traffic control and the work is completed after sunset and before sunrise.	21.88	18.40	40.28

Fringe Benefits Must Be Paid On <u>All</u> Hours Worked		HOURLY BASIC RATE OF PAY	HOURLY FRINGE BENEFITS	TOTAL
CODE	TRADE OR OCCUPATION	\$	\$	\$
311	Fiber Optic Laborer (Outside, Other Than Concrete Encased)	17.24	15.03	32.27
314	Railroad Track Laborer	14.50	3.53	18.03

**HEAVY EQUIPMENT OPERATORS
AIRPORT PAVEMENT OR STATE HIGHWAY CONSTRUCTION**

Fringe Benefits Must Be Paid On <u>All</u> Hours Worked		HOURLY BASIC RATE OF PAY	HOURLY FRINGE BENEFITS	TOTAL
CODE	TRADE OR OCCUPATION	\$	\$	\$
531	Crane, Tower Crane, Pedestal Tower or Derrick, With Boom, Leads &/or Jib Lengths Measuring 176 Ft or Over; Crane, Tower Crane, Pedestal Tower or Derrick, With or Without Attachments, With a Lifting Capacity of Over 100 Tons, Self-Erecting Tower Crane With a Lifting Capacity Of Over 4,000 Lbs., Crane With Boom Dollies; Traveling Crane (Bridge Type). Future Increase(s): Add \$2/hr on 6/1/13; Add \$1.75/hr on 6/1/14. Premium Increase(s): DOT PREMIUMS: 1) Pay two times the hourly basic rate on Sunday, New Year's Day, Memorial Day, Independence Day, Labor Day, Thanksgiving Day & Christmas Day. 2) Add \$1.25/hr night work premium. See DOT's website for details about the applicability of this night work premium at: http://roadwaystandards.dot.wi.gov/hcci/labor-wages-eeo/index.shtm .	35.22	19.90	55.12
532	Backhoe (Track Type) Having a Mfgr.'s Rated Capacity of 130,000 Lbs. or Over; Caisson Rig; Crane, Tower Crane, Portable Tower, Pedestal Tower or Derrick, With Boom, Leads &/or Jib Lengths Measuring 175 Ft or Under; Crane, Tower Crane, Portable Tower, Pedestal Tower or Derrick, With or Without Attachments, With a Lifting Capacity of 100 Tons or Under, Self-Erecting Tower Crane With A Lifting Capacity Of 4,000 Lbs., & Under; Dredge (NOT Performing Work on the Great Lakes); Licensed Boat Pilot (NOT Performing Work on the Great Lakes); Pile Driver. Future Increase(s): Add \$2/hr on 6/1/13; Add \$1.75/hr on 6/1/14. Premium Increase(s): DOT PREMIUMS: 1) Pay two times the hourly basic rate on Sunday, New Year's Day, Memorial Day, Independence Day, Labor Day, Thanksgiving Day & Christmas Day. 2) Add \$1.25/hr night work premium. See DOT's website for details about the applicability of this night work premium at: http://roadwaystandards.dot.wi.gov/hcci/labor-wages-eeo/index.shtm .	34.72	19.90	54.62

Fringe Benefits Must Be Paid On <u>All</u> Hours Worked		HOURLY BASIC RATE OF PAY	HOURLY FRINGE BENEFITS	TOTAL
CODE	TRADE OR OCCUPATION	\$	\$	\$
533	<p>Air Track, Rotary or Percussion Drilling Machine &/or Hammers, Blaster; Asphalt Heater, Planer & Scarifier; Asphalt Milling Machine; Asphalt Screed; Automatic Subgrader (Concrete); Backhoe (Track Type) Having a Mfgr.'s Rated Capacity of Under 130,000 Lbs., Backhoe (Mini, 15,000 Lbs. & Under); Bituminous (Asphalt) Plant & Paver, Screed; Boatmen (NOT Performing Work on the Great Lakes); Boring Machine (Directional, Horizontal or Vertical); Bridge (Bidwell) Paver; Bulldozer or Endloader; Concrete Batch Plant, Batch Hopper; Concrete Breaker (Large, Auto, Vibratory/Sonic, Manual or Remote); Concrete Bump Cutter, Grinder, Planing or Grooving Machine; Concrete Conveyor System; Concrete Laser/Screed; Concrete Paver (Slipform); Concrete Pump, Concrete Conveyor (Rotec or Bidwell Type); Concrete Slipform Placer Curb & Gutter Machine; Concrete Spreader & Distributor; Crane (Carry Deck, Mini) or Truck Mounted Hydraulic Crane (10 Tons or Under); Crane With a Lifting Capacity of 25 Tons or Under; Forestry Equipment, Timbco, Tree Shear, Tub Grinder, Processor; Gradall (Cruz-Aire Type); Grader or Motor Patrol; Grout Pump; Hydro-Blaster (10,000 PSI or Over); Loading Machine (Conveyor); Material or Stack Hoist; Mechanic or Welder; Milling Machine; Post Hole Digger or Driver; Roller (Over 5 Ton); Scraper (Self Propelled or Tractor Drawn) 5 cu yds or More Capacity; Shoulder Widener; Sideboom; Skid Rig; Stabilizing or Concrete Mixer (Self-Propelled or 14S or Over); Straddle Carrier or Travel Lift; Tractor (Scraper, Dozer, Pusher, Loader); Tractor or Truck Mounted Hydraulic Backhoe; Trencher (Wheel Type or Chain Type); Tube Finisher; Tugger (NOT Performing Work on the Great Lakes); Winches & A-Frames.</p> <p>Future Increase(s): Add \$2/hr on 6/1/13; Add \$1.75/hr on 6/1/14.</p> <p>Premium Increase(s): DOT PREMIUMS: 1) Pay two times the hourly basic rate on Sunday, New Year's Day, Memorial Day, Independence Day, Labor Day, Thanksgiving Day & Christmas Day. 2) Add \$1.25/hr night work premium. See DOT's website for details about the applicability of this night work premium at: http://roadwaystandards.dot.wi.gov/hcci/labor-wages-eeo/index.shtml.</p>	34.22	19.90	54.12
534	<p>Belting, Burlap, Texturing Machine; Broom or Sweeper; Compactor (Self-Propelled or Tractor Mounted, Towed & Light Equipment); Concrete Finishing Machine (Road Type); Environmental Burner; Farm or Industrial Type Tractor; Fireman (Asphalt Plant, Pile Driver & Derrick NOT Performing Work on the Great Lakes); Forklift; Greaser; Hoist (Tugger, Automatic); Jeep Digger; Joint Sawyer (Multiple Blade); Launch (NOT Performing Work on the Great Lakes); Lift Slab Machine; Mechanical Float; Mulcher; Power Subgrader; Robotic Tool Carrier (With or Without Attachments); Roller (Rubber Tire, 5 Ton or Under); Self Propelled Chip Spreader; Shouldering Machine; Skid Steer Loader (With or Without Attachments); Telehandler; Tining or Curing Machine.</p> <p>Future Increase(s): Add \$2/hr on 6/1/13; Add \$1.75/hr on 6/1/14.</p> <p>Premium Increase(s):</p>	33.96	19.90	53.86

Fringe Benefits Must Be Paid On <u>All</u> Hours Worked		HOURLY BASIC RATE OF PAY	HOURLY FRINGE BENEFITS	TOTAL
CODE	TRADE OR OCCUPATION	\$	\$	\$
	DOT PREMIUMS: 1) Pay two times the hourly basic rate on Sunday, New Year's Day, Memorial Day, Independence Day, Labor Day, Thanksgiving Day & Christmas Day. 2) Add \$1.25/hr night work premium. See DOT's website for details about the applicability of this night work premium at: http://roadwaystandards.dot.wi.gov/hcci/labor-wages-eeo/index.shtm .			
535	Air Compressor (&/or 400 CFM or Over); Air, Electric or Hydraulic Jacking System; Augers (Vertical & Horizontal); Automatic Belt Conveyor & Surge Bin; Boiler (Temporary Heat); Concrete Proportioning Plant; Crusher, Screening or Wash Plant; Generator (&/or 150 KW or Over); Heaters (Mechanical); High Pressure Utility Locating Machine (Daylighting Machine); Mudjack; Oiler; Prestress Machine; Pug Mill; Pump (3 Inch or Over) or Well Points; Rock, Stone Breaker; Screed (Milling Machine); Stump Chipper; Tank Car Heaters; Vibratory Hammer or Extractor, Power Pack. Future Increase(s): Add \$2/hr on 6/1/13; Add \$1.75/hr on 6/1/14. Premium Increase(s): DOT PREMIUMS: 1) Pay two times the hourly basic rate on Sunday, New Year's Day, Memorial Day, Independence Day, Labor Day, Thanksgiving Day & Christmas Day. 2) Add \$1.25/hr night work premium. See DOT's website for details about the applicability of this night work premium at: http://roadwaystandards.dot.wi.gov/hcci/labor-wages-eeo/index.shtm .	33.67	19.90	53.57
536	Fiber Optic Cable Equipment.	20.00	7.88	27.88
537	Work Performed on the Great Lakes Including Diver; Wet Tender or Hydraulic Dredge Engineer.	37.45	19.45	56.90
538	Work Performed on the Great Lakes Including 70 Ton & Over Tug Operator; Assistant Hydraulic Dredge Engineer; Crane or Backhoe Operator; Hydraulic Dredge Leverman or Diver's Tender; Mechanic or Welder.	37.45	19.45	56.90
539	Work Performed on the Great Lakes Including Deck Equipment Operator or Machineryman (Maintains Cranes Over 50 Tons or Backhoes 115,000 Lbs. or More); Tug, Launch or Loader, Dozer or Like Equipment When Operated on a Barge, Breakwater Wall, Slip, Dock or Scow, Deck Machinery.	27.75	19.15	46.90
540	Work Performed on the Great Lakes Including Deck Equipment Operator, Machineryman or Fireman (Operates 4 Units or More or Maintains Cranes 50 Tons or Under or Backhoes 115,000 Lbs. or Under); Deck Hand, Deck Engineer or Assistant Tug Operator; Off Road Trucks-Great Lakes ONLY.	27.75	19.15	46.90

LOCAL STREET OR MISCELLANEOUS PAVING CONSTRUCTION
--

Includes roads, streets, alleys, trails, bridges, paths, racetracks, parking lots and driveways (except residential or agricultural), public sidewalks or other similar projects (excluding projects awarded by the Wisconsin Department of Transportation).

SKILLED TRADES

CODE	TRADE OR OCCUPATION	HOURLY BASIC RATE OF PAY	HOURLY FRINGE BENEFITS	TOTAL
		\$	\$	\$
103	Bricklayer, Blocklayer or Stonemason	33.00	15.00	48.00
105	Carpenter	30.16	15.31	45.47
107	Cement Finisher	28.73	17.03	45.76
109	Electrician Future Increase(s): Add \$1.60/hr on 6/1/2013. Premium Increase(s): DOT PREMIUM: Pay two times the hourly basic rate on Sunday, New Year's Day, Memorial Day, Independence Day, Labor Day, Thanksgiving Day & Christmas Day.	32.20	21.71	53.91
111	Fence Erector	28.00	4.50	32.50
116	Ironworker	31.31	21.99	53.30
118	Line Constructor (Electrical)	37.05	16.94	53.99
124	Painter	29.27	18.18	47.45
125	Pavement Marking Operator	28.10	15.00	43.10
126	Piledriver	29.56	24.96	54.52
133	Rofer or Waterproofer	29.40	15.05	44.45
137	Teledata Technician or Installer	24.65	15.67	40.32
143	Tuckpointer, Caulker or Cleaner	34.35	11.13	45.48
144	Underwater Diver (Except on Great Lakes)	37.45	19.45	56.90
150	Heavy Equipment Operator - ELECTRICAL LINE CONSTRUCTION ONLY	29.64	14.55	44.19
151	Light Equipment Operator -ELECTRICAL LINE CONSTRUCTION ONLY Premium Increase(s): DOT PREMIUM: Pay two times the hourly basic rate on Sunday, New Year's Day, Memorial Day, Independence Day, Labor Day, Thanksgiving Day & Christmas Day.	30.60	14.64	45.24
152	Heavy Truck Driver - ELECTRICAL LINE CONSTRUCTION ONLY	25.94	13.57	39.51
153	Light Truck Driver - ELECTRICAL LINE CONSTRUCTION ONLY	24.08	12.96	37.04
154	Groundman - ELECTRICAL LINE CONSTRUCTION ONLY	21.75	11.90	33.65

TRUCK DRIVERS

Fringe Benefits Must Be Paid On <u>All</u> Hours Worked		HOURLY BASIC RATE OF PAY	HOURLY FRINGE BENEFITS	TOTAL
CODE	TRADE OR OCCUPATION	\$	\$	\$
201	Single Axle or Two Axle	25.87	13.00	38.87
203	Three or More Axle	17.00	0.00	17.00
204	Articulated, Euclid, Dumptor, Off Road Material Hauler Future Increase(s): Add \$1/hr on 6/2/2013.	32.39	18.46	50.85
205	Pavement Marking Vehicle	20.85	11.02	31.87
206	Shadow or Pilot Vehicle	25.87	13.00	38.87
207	Truck Mechanic	17.00	0.00	17.00

LABORERS

Fringe Benefits Must Be Paid On <u>All</u> Hours Worked		HOURLY BASIC RATE OF PAY	HOURLY FRINGE BENEFITS	TOTAL
CODE	TRADE OR OCCUPATION	\$	\$	\$
301	General Laborer	22.31	18.64	40.95
303	Landscaper Future Increase(s): Add \$1.70/hr on 6/1/13; Add \$1.60/hr on 6/1/14. Premium Increase(s): DOT PREMIUMS: 1) Pay two times the hourly basic rate on Sunday, New Year's Day, Memorial Day, Independence Day, Labor Day, Thanksgiving Day & Christmas Day. 2) Add \$1.25/hr for work on projects involving temporary traffic control setup, for lane and shoulder closures, when work under artificial illumination conditions is necessary as required by the project provisions (including prep time prior to and/or cleanup after such time period).	28.07	13.90	41.97
304	Flagperson or Traffic Control Person Future Increase(s): Add \$1.70/hr on 6/1/2013; Add \$1.60/hr on 6/1/2014. Premium Increase(s): DOT PREMIUMS: 1) Pay two times the hourly basic rate on Sunday, New Year's Day, Memorial Day, Independence Day, Labor Day, Thanksgiving Day & Christmas Day. 2) Add \$1.25/hr when the Wisconsin Department of Transportation or responsible governing agency requires that work be performed at night under artificial illumination with traffic control and the work is completed after sunset and before sunrise.	24.70	13.90	38.60
311	Fiber Optic Laborer (Outside, Other Than Concrete Encased)	17.24	15.03	32.27
314	Railroad Track Laborer	14.50	3.53	18.03

**HEAVY EQUIPMENT OPERATORS
CONCRETE PAVEMENT OR BRIDGE WORK**

Fringe Benefits Must Be Paid On <u>All</u> Hours Worked		HOURLY BASIC RATE OF PAY	HOURLY FRINGE BENEFITS	TOTAL
CODE	TRADE OR OCCUPATION	\$	\$	\$
541	Crane, Tower Crane, Pedestal Tower or Derrick, With or Without Attachments, With a Lifting Capacity of Over 100 Tons, Self-Erecting Tower Crane With a Lifting Capacity Of Over 4,000 Lbs., Crane With Boom Dollies; Crane, Tower Crane, Pedestal Tower or Derrick, With Boom, Leads &/or Jib Lengths Measuring 176 Ft or Over; Master Mechanic. Future Increase(s): Add \$2/hr on 6/1/13; Add \$1.75/hr on 6/1/14. Premium Increase(s): DOT PREMIUMS: 1) Pay two times the hourly basic rate on Sunday, New Year's Day, Memorial Day, Independence Day, Labor Day, Thanksgiving Day & Christmas Day. 2) Add \$1.25/hr night work premium. See DOT's website for details about the applicability of this night work premium at: http://roadwaystandards.dot.wi.gov/hcci/labor-wages-eeo/index.shtm .	35.22	19.90	55.12
542	Backhoe (Track Type) Having a Mfgr.'s Rated Capacity of 130,000 Lbs. or Over; Caisson Rig; Crane, Tower Crane, Portable Tower, Pedestal Tower or Derrick, With or Without Attachments, With a Lifting Capacity of 100 Tons or Under, Self-Erecting Tower Crane With a Lifting Capacity of 4,000 Lbs. & Under; Crane, Tower Crane Portable Tower, Pedestal Tower or Derrick, With Boom, Leads &/or Jib Lengths Measuring 175 Ft or Under; Dredge (NOT Performing Work on the Great Lakes); Licensed Boat Pilot (NOT Performing Work on the Great Lakes); Pile Driver. Future Increase(s): Add \$2/hr on 6/1/13; Add \$1.75/hr on 6/1/14. Premium Increase(s): DOT PREMIUMS: 1) Pay two times the hourly basic rate on Sunday, New Year's Day, Memorial Day, Independence Day, Labor Day, Thanksgiving Day & Christmas Day. 2) Add \$1.25/hr night work premium. See DOT's website for details about the applicability of this night work premium at: http://roadwaystandards.dot.wi.gov/hcci/labor-wages-eeo/index.shtm .	34.72	19.90	54.62

Fringe Benefits Must Be Paid On <u>All</u> Hours Worked		HOURLY BASIC RATE OF PAY	HOURLY FRINGE BENEFITS	TOTAL
CODE	TRADE OR OCCUPATION	\$	\$	\$
543	<p>Air Track, Rotary or Percussion Drilling Machine &/or Hammers, Blaster; Automatic Subgrader (Concrete); Backhoe (Track Type) Having a Mfgr.'s Rated Capacity of Under 130,000 Lbs., Backhoe (Mini, 15,000 Lbs. & Under); Boring Machine (Directional, Horizontal or Vertical); Bridge (Bidwell) Paver; Bulldozer or Endloader; Concrete Batch Plant, Batch Hopper; Concrete Breaker (Large, Auto, Vibratory/Sonic, Manual or Remote); Concrete Bump Cutter, Grinder, Planing or Grooving Machine; Concrete Conveyor System; Concrete Laser/Screed; Concrete Paver (Slipform); Concrete Pump, Concrete Conveyor (Rotec or Bidwell Type); Concrete Slipform Placer Curb & Gutter Machine; Concrete Spreader & Distributor; Crane (Carry Deck, Mini) or Truck Mounted Hydraulic Crane (10 Tons or Under); Crane With a Lifting Capacity of 25 Tons or Under; Forestry Equipment, Timbco, Tree Shear, Tub Grinder, Processor; Gradall (Cruz-Aire Type); Grader or Motor Patrol; Grout Pump; Hydro-Blaster (10,000 PSI or Over); Loading Machine (Conveyor); Manhoist; Material or Stack Hoist; Mechanic or Welder; Milling Machine; Post Hole Digger or Driver; Scraper (Self Propelled or Tractor Drawn) 5 cu yds or More Capacity; Shoulder Widener; Sideboom; Skid Rig; Stabilizing or Concrete Mixer (Self-Propelled or 14S or Over); Straddle Carrier or Travel Lift; Tractor (Scraper, Dozer, Pusher, Loader); Tractor or Truck Mounted Hydraulic Backhoe; Trencher (Wheel Type or Chain Type); Tube Finisher; Tugger (NOT Performing Work on the Great Lakes); Winches & A-Frames.</p> <p>Future Increase(s): Add \$2/hr on 6/1/13; Add \$1.75/hr on 6/1/14.</p> <p>Premium Increase(s): DOT PREMIUMS: 1) Pay two times the hourly basic rate on Sunday, New Year's Day, Memorial Day, Independence Day, Labor Day, Thanksgiving Day & Christmas Day. 2) Add \$1.25/hr night work premium. See DOT's website for details about the applicability of this night work premium at: http://roadwaystandards.dot.wi.gov/hcci/labor-wages-eeo/index.shtm.</p>	34.22	19.90	54.12
544	<p>Backfiller; Belting, Burlap, Texturing Machine; Broom or Sweeper; Compactor (Self-Propelled or Tractor Mounted, Towed & Light Equipment); Concrete Finishing Machine (Road Type); Environmental Burner; Farm or Industrial Type Tractor; Fireman (Pile Driver & Derrick NOT Performing Work on the Great Lakes); Forklift; Greaser; Jeep Digger; Joint Sawyer (Multiple Blade); Launch (NOT Performing Work on the Great Lakes); Lift Slab Machine; Mechanical Float; Mulcher; Power Subgrader; Robotic Tool Carrier (With or Without Attachments); Self Propelled Chip Spreader; Shouldering Machine; Skid Steer Loader (With or Without Attachments); Telehandler; Tining or Curing Machine.</p> <p>Future Increase(s): Add \$2/hr on 6/1/13; Add \$1.75/hr on 6/1/14.</p> <p>Premium Increase(s): DOT PREMIUMS: 1) Pay two times the hourly basic rate on Sunday, New Year's Day, Memorial Day, Independence Day, Labor Day, Thanksgiving Day & Christmas Day. 2) Add \$1.25/hr night work premium. See DOT's website for details about the applicability of this night work premium at: http://roadwaystandards.dot.wi.gov/hcci/labor-wages-eeo/index.shtm.</p>	33.96	19.90	53.86

Fringe Benefits Must Be Paid On <u>All</u> Hours Worked		HOURLY BASIC RATE OF PAY	HOURLY FRINGE BENEFITS	TOTAL
CODE	TRADE OR OCCUPATION	\$	\$	\$
545	Air Compressor (&/or 400 CFM or Over); Air, Electric or Hydraulic Jacking System; Automatic Belt Conveyor & Surge Bin; Boiler (Temporary Heat); Concrete Proportioning Plant; Crusher, Screening or Wash Plant; Generator (&/or 150 KW or Over); Heaters (Mechanical); High Pressure Utility Locating Machine (Daylighting Machine); Mudjack; Oiler; Prestress Machine; Pug Mill; Pump (3 Inch or Over) or Well Points; Rock, Stone Breaker; Screed (Milling Machine); Stump Chipper; Tank Car Heaters; Vibratory Hammer or Extractor, Power Pack.	33.02	17.60	50.62
546	Fiber Optic Cable Equipment.	20.00	7.88	27.88
547	Work Performed on the Great Lakes Including Diver; Wet Tender or Hydraulic Dredge Engineer.	37.45	19.45	56.90
548	Work Performed on the Great Lakes Including 70 Ton & Over Tug Operator; Assistant Hydraulic Dredge Engineer; Crane or Backhoe Operator; Hydraulic Dredge Leverman or Diver's Tender; Mechanic or Welder.	37.45	19.45	56.90
549	Work Performed on the Great Lakes Including Deck Equipment Operator or Machineryman (Maintains Cranes Over 50 Tons or Backhoes 115,000 Lbs. or more); Tug, Launch or Loader, Dozer or Like Equipment When Operated on a Barge, Breakwater Wall, Slip, Dock or Scow, Deck Machinery.	27.75	19.15	46.90
550	Work Performed on the Great Lakes Including Deck Equipment Operator; Machineryman or Fireman (Operates 4 Units or More or Maintains Cranes 50 Tons or Under or Backhoes 115,000 Lbs. or Under); Deck Hand, Deck Engineer or Assistant Tug Operator; Off Road Trucks - Great Lakes ONLY.	27.75	19.15	46.90

**HEAVY EQUIPMENT OPERATORS
ASPHALT PAVEMENT OR OTHER WORK**

Fringe Benefits Must Be Paid On <u>All</u> Hours Worked		HOURLY BASIC RATE OF PAY	HOURLY FRINGE BENEFITS	TOTAL
CODE	TRADE OR OCCUPATION	\$	\$	\$
551	Crane, Tower Crane, Pedestal Tower or Derrick, With or Without Attachments, With a Lifting Capacity of Over 100 Tons, Self Erecting Tower Crane With a Lifting Capacity of Over 4,000 Lbs., Crane With Boom Dollies; Crane, Tower Crane, Pedestal Tower or Derrick, With Boom, Leads and/or Jib Lengths Measuring 176 Ft or Over; Master Mechanic.	39.16	19.10	58.26
552	Backhoe (Track Type) Having a Mfgr.'s Rated Capacity of 130,000 Lbs. or Over; Caisson Rig; Crane, Tower Crane, Portable Tower, Pedestal Tower or Derrick, With or Without Attachments, With a Lifting Capacity of 100 Tons or Under, Self-Erecting Tower Crane With a Lifting Capacity Of 4,000 Lbs. & Under; Crane, Tower Crane, Portable Tower, Pedestal Tower or Derrick, With Boom, Leads &/or Jib Lengths Measuring 175 Ft or Under; Dredge (NOT Performing Work on the Great Lakes); Licensed Boat Pilot (NOT Performing Work on the Great Lakes); Pile Driver. Future Increase(s): Add \$1/hr on 6/2/2013.	32.92	18.46	51.38

Fringe Benefits Must Be Paid On <u>All</u> Hours Worked		HOURLY BASIC RATE OF PAY	HOURLY FRINGE BENEFITS	TOTAL
CODE	TRADE OR OCCUPATION	\$	\$	\$
553	Air, Track, Rotary or Percussion Drilling Machine &/or Hammers, Blaster; Asphalt Heater, Planer & Scarifier; Asphalt Milling Machine; Asphalt Screed; Backhoe (Track Type) Having a Mfgr.'s Rated Capacity of Under 130,000 Lbs., Backhoe (Mini, 15,000 Lbs. & Under); Bituminous (Asphalt) Plant & Paver, Screed; Boring Machine (Directional, Horizontal or Vertical); Bulldozer or Endloader; Concrete Breaker (Large, Auto, Vibratory/Sonic, Manual or Remote); Concrete Conveyor System; Concrete Laser/Screed; Concrete Slipform Placer Curb & Gutter Machine; Crane (Carry Deck, Mini) or Truck Mounted Hydraulic Crane (10 Tons or Under); Crane With a Lifting Capacity of 25 Tons or Under; Forestry Equipment, Timbco, Tree Shear, Tub Grinder, Processor; Gradall (Cruz-Aire Type); Grader or Motor Patrol; Hydro-Blaster (10,000 PSI or Over); Loading Machine (Conveyor); Manhoist; Material or Stack Hoist; Mechanic or Welder; Milling Machine; Post Hole Digger or Driver; Railroad Track Rail Leveling Machine, Tie Placer, Extractor, Tamper, Stone Leveler or Rehabilitation Equipment; Roller (Over 5 Ton); Scraper (Self Propelled or Tractor Drawn) 5 cu yds or More Capacity; Shoulder Widener; Sideboom; Skid Rig; Stabilizing or Concrete Mixer (Self-Propelled or 14S or Over); Tractor (Scraper, Dozer, Pusher, Loader); Tractor or Truck Mounted Hydraulic Backhoe; Trencher (Wheel Type or Chain Type); Tube Finisher; Tugger (NOT Performing Work on the Great Lakes); Winches & A-Frames.	32.67	18.44	51.11
554	Backfiller; Broom or Sweeper; Compactor (Self-Propelled or Tractor Mounted, Towed & Light Equipment); Concrete Finishing Machine (Road Type); Environmental Burner; Farm or Industrial Type Tractor; Fireman (Asphalt Plant, Pile Driver & Derrick NOT Performing Work on the Great Lakes); Forklift; Greaser; Hoist (Tugger, Automatic); Jeep Digger; Joint Sawyer (Multiple Blade); Launch (NOT Performing Work on the Great Lakes); Lift Slab Machine; Mechanical Float; Mulcher; Power Subgrader; Robotic Tool Carrier (With or Without Attachments); Roller (Rubber Tire, 5 Ton or Under); Self-Propelled Chip Spreader; Shouldering Machine; Skid Steer Loader (With or Without Attachments); Telehandler. Future Increase(s): Add \$2/hr on 6/1/13; Add \$1.75/hr on 6/1/14.	33.67	19.55	53.22
555	Air Compressor (&/or 400 CFM or Over); Air, Electric or Hydraulic Jacking System; Augers (Vertical & Horizontal); Automatic Belt Conveyor & Surge Bin; Boiler (Temporary Heat); Crusher, Screening or Wash Plant; Generator (&/or 150 KW or Over); Heaters (Mechanical); High Pressure Utility Locating Machine (Daylighting Machine); Mudjack; Oiler; Prestress Machine; Pug Mill; Pump (3 Inch or Over) or Well Points; Rock, Stone Breaker; Screed (Milling Machine); Stump Chipper; Tank Car Heaters; Vibratory Hammer or Extractor, Power Pack. Future Increase(s): Add \$2/hr on 6/1/13; Add \$1.75/hr on 6/1/14.	33.67	19.55	53.22
556	Fiber Optic Cable Equipment.	20.00	7.88	27.88

RESIDENTIAL OR AGRICULTURAL CONSTRUCTION

Includes single family houses or apartment buildings of no more than four (4) stories in height and all buildings, structures or facilities that are primarily used for agricultural or farming purposes, excluding commercial buildings. For classification purposes, the exterior height of a residential building, in terms of stories, is the primary consideration. All incidental items such as site work, driveways, parking lots, private sidewalks, private septic systems or sewer and water laterals connected to a public system and swimming pools are included within this definition. Residential buildings of five (5) stories and above are NOT included within this definition.

SKILLED TRADES

<u>CODE</u>	<u>TRADE OR OCCUPATION</u>	Fringe Benefits Must Be Paid On <u>All</u> Hours Worked		
		<u>HOURLY BASIC RATE OF PAY</u> \$	<u>HOURLY FRINGE BENEFITS</u> \$	<u>TOTAL</u> \$
101	Acoustic Ceiling Tile Installer	19.50	10.98	30.48
102	Boilermaker	31.09	27.23	58.32
103	Bricklayer, Blocklayer or Stonemason	25.00	12.36	37.36
104	Cabinet Installer	26.00	2.61	28.61
105	Carpenter	33.43	7.16	40.59
106	Carpet Layer or Soft Floor Coverer	32.93	21.85	54.78
107	Cement Finisher	23.32	6.27	29.59
108	Drywall Taper or Finisher	29.87	18.79	48.66
109	Electrician	24.50	8.96	33.46
110	Elevator Constructor	41.71	23.88	65.59
111	Fence Erector	13.00	1.07	14.07
112	Fire Sprinkler Fitter	37.45	19.30	56.75
113	Glazier	22.00	2.09	24.09
114	Heat or Frost Insulator	35.00	0.00	35.00
115	Insulator (Batt or Blown)	12.82	0.00	12.82
116	Ironworker	30.90	19.11	50.01
117	Lather	33.43	7.16	40.59
119	Marble Finisher	16.50	2.38	18.88
120	Marble Mason	25.00	12.36	37.36
121	Metal Building Erector	17.00	2.62	19.62
123	Overhead Door Installer	25.00	19.00	44.00
124	Painter	23.50	3.73	27.23
125	Pavement Marking Operator	28.10	15.00	43.10

Fringe Benefits Must Be Paid On <u>All</u> Hours Worked		HOURLY BASIC RATE OF PAY	HOURLY FRINGE BENEFITS	TOTAL
CODE	TRADE OR OCCUPATION	\$	\$	\$
129	Plasterer	20.00	0.00	20.00
130	Plumber	36.97	18.42	55.39
132	Refrigeration Mechanic	24.75	10.42	35.17
133	Roofer or Waterproofer	29.40	15.55	44.95
134	Sheet Metal Worker	28.15	15.14	43.29
135	Steamfitter	38.26	19.49	57.75
137	Teledata Technician or Installer	18.85	5.00	23.85
138	Temperature Control Installer	22.00	1.10	23.10
139	Terrazzo Finisher	26.57	16.00	42.57
140	Terrazzo Mechanic	30.01	17.13	47.14
141	Tile Finisher	20.60	3.53	24.13
142	Tile Setter	20.43	8.03	28.46
143	Tuckpointer, Caulker or Cleaner	32.50	2.84	35.34
146	Well Driller or Pump Installer	27.60	0.00	27.60
147	Siding Installer	16.00	0.62	16.62

TRUCK DRIVERS

Fringe Benefits Must Be Paid On <u>All</u> Hours Worked		HOURLY BASIC RATE OF PAY	HOURLY FRINGE BENEFITS	TOTAL
CODE	TRADE OR OCCUPATION	\$	\$	\$
201	Single Axle or Two Axle	16.25	4.60	20.85
203	Three or More Axle	17.10	1.78	18.88
205	Pavement Marking Vehicle	20.85	11.02	31.87
207	Truck Mechanic	19.00	1.85	20.85

LABORERS

Fringe Benefits Must Be Paid On <u>All</u> Hours Worked		HOURLY BASIC RATE OF PAY	HOURLY FRINGE BENEFITS	TOTAL
CODE	TRADE OR OCCUPATION	\$	\$	\$
301	General Laborer	18.00	6.16	24.16
302	Asbestos Abatement Worker	18.00	0.00	18.00
303	Landscaper	11.00	0.00	11.00

Fringe Benefits Must Be Paid On <u>All</u> Hours Worked		HOURLY BASIC RATE OF PAY	HOURLY FRINGE BENEFITS	TOTAL
CODE	TRADE OR OCCUPATION	\$	\$	\$
311	Fiber Optic Laborer (Outside, Other Than Concrete Encased)	17.24	15.03	32.27
315	Final Construction Clean-Up Worker	15.00	0.00	15.00

**HEAVY EQUIPMENT OPERATORS
RESIDENTIAL OR AGRICULTURAL CONSTRUCTION**

Fringe Benefits Must Be Paid On <u>All</u> Hours Worked		HOURLY BASIC RATE OF PAY	HOURLY FRINGE BENEFITS	TOTAL
CODE	TRADE OR OCCUPATION	\$	\$	\$
557	Asphalt Heater, Planer & Scarifier; Asphalt Milling Machine; Asphalt Screed; Backhoe (Track Type); Backhoe (Mini, 15,000 Lbs. & Under); Bituminous (Asphalt) Plant & Paver, Screed; Boring Machine (Directional, Horizontal or Vertical); Bulldozer or Endloader; Concrete Breaker (Large, Auto, Vibratory/Sonic, Manual or Remote); Concrete Bump Cutter, Grinder, Planing or Grooving Machine; Concrete Conveyor System; Concrete Laser/Screed; Concrete Paver (Slipform); Concrete Pump, Concrete Conveyor (Rotec or Bidwell Type); Concrete Slipform Placer Curb & Gutter Machine; Concrete Spreader & Distributor; Crane (Carry Deck, Mini) or Truck Mounted Hydraulic Crane (10 Tons or Under); Crane With a Lifting Capacity of 25 Tons or Under; Crane, Shovel, Dragline, Clamshells; Forestry Equipment, Timberco, Tree Shear, Tub Grinder, Processor; Grader or Motor Patrol; Grout Pump; Hydro-Blaster (10,000 PSI or Over); Loading Machine (Conveyor); Manhoist; Material or Stack Hoist; Mechanic or Welder; Milling Machine; Roller (Over 5 Ton); Scraper (Self Propelled or Tractor Drawn) 5 cu yds or More Capacity; Shoulder Widener; Skid Rig; Stabilizing or Concrete Mixer (Self-Propelled or 14S or Over); Tractor (Scraper, Dozer, Pusher, Loader); Tractor or Truck Mounted Hydraulic Backhoe; Tractor or Truck Mounted Hydraulic Crane (10 Tons or Under); Trencher (Wheel Type or Chain Type); Winches & A-Frames.	23.35	5.58	28.93
558	Air Compressor (&/or 400 CFM or Over); Air, Electric or Hydraulic Jacking System; Backfiller; Belting, Burlap, Texturing Machine; Boiler (Temporary Heat); Broom or Sweeper; Compactor (Self-Propelled or Tractor Mounted, Towed & Light Equipment); Concrete Finishing Machine (Road Type); Farm or Industrial Type Tractor; Forklift; Generator (&/or 150 KW or Over); Heaters (Mechanical); High Pressure Utility Locating Machine (Daylighting Machine); Jeep Digger; Lift Slab Machine; Mulcher; Oiler; Post Hole Digger or Driver; Power Subgrader; Pump (3 Inch or Over) or Well Points; Robotic Tool Carrier (With or Without Attachments); Rock, Stone Breaker; Roller (Rubber Tire, 5 Tons or Under); Screed (Milling Machine); Self Propelled Chip Spreader; Shouldering Machine; Skid Steer Loader (With or Without Attachments); Stump Chipper; Telehandler; Vibratory Hammer or Extractor, Power Pack.	21.10	0.87	21.97

***** END OF RATES *****

SECTION 00850: DRAWING SCHEDULE

The following listed drawings accompany and form a part of the project contract documents along with this project manual and generally illustrate the nature of the work.

See Section 00870 for additional drawings which are included within this project manual.

<u>Sheet No.</u>	<u>Title</u>
	<u>Title Drawings</u>
T1.1	Title Sheet
	<u>Architectural Drawings</u>
A1	Building Elevation
A2	Building Elevation
A3	Window Detail Schedule
A4	Window Details

SECTION 01010: SUMMARY OF WORK:1. SCOPE:A. Index:

1. Scope
2. Project Description
3. Work by Others
4. Scheduling of Work

2. PROJECT DESCRIPTION:

- A. In general, the project consists of removing existing windows and framings and modifying the existing structure as required for the installation of new architectural grade aluminum windows. All inside and outside window perimeters are to be caulked, sealed and trimmed out. Contractor will also be responsible for removal of window treatments prior to installation and reinstalling window treatments after window installation is complete.
- B. Milwaukee Health Department (MHD) will occupy the site during construction. The contractor is required to coordinate all construction with City and MHD forces on site, to minimize impact to MHD operations and to ensure the safety of MHD employees and property. Contractor **must** coordinate schedule with owner to ensure as little if any intrusion of the MHD Public Health Clinic operations. Coordination shall include the placement of field offices, public protection canopies, construction site fencing, site clearing, scaffolding, delivery and storage of materials, installation of new windows.
- C. It is understood that the submittal of a proposal shall include furnishing all labor, materials, equipment, and incidentals necessary for completion of the work required, including that which may not be directly shown on the drawings or in the specifications, but are necessary for proper operation and approval.
- D. The following outline is intended to serve as a general guide only, and not as a complete listing of work, operations, or materials. Consult the Table of Contents for a complete listing of items included.
 1. Remove window treatments and store on site in a secure location to ensure there will be **NO** damage to the window treatments. Reinstall window treatments upon completion of window replacement installation.
 2. Remove security bars prior to window replacement installation and store on site in a secure location to ensure there will be **NO** damage to the security bars. Reinstall upon completion of window replacement installation.
 3. Remove existing windows from openings and from the premises.
 4. Clean and prepare the openings to receive windows.
 5. Install ice and water shield.
 6. Set bed sealant and install pre-set panning.

7. Install new windows.
8. Caulk and seal the perimeters of new windows.
9. Verify projected window(s) are squared.
10. Install interior trim.
11. Paint any exposed exterior metal angles; coordinate with owner for color approval.
12. Field test window units in compliance with Technical Specifications 08520-3.03.
13. Repair any damage done to the building during installation of the windows.

E. Examine Documents and Visit Site:

1. Before submitting a bid proposal, bidders should carefully examine the drawings and specifications; visit the site of work; fully inform themselves as to all existing conditions and limitations, including those of labor; and shall include in the bid proposal a sum sufficient to cover the cost of all items contemplated by the construction documents.
2. Each sub-bidder further represents that he has inspected the site of the proposed work to ascertain any obstacles that might be encountered and other matters and conditions relevant to this work.
3. The nature of the work required demands thorough review of all drawings and the project manual, and diligent and careful site inspection by all prospective sub-bidders as a means of determining the extent of work and conditions under which the work is to be performed.
4. Additional charges will not be as considered for work which, prior to bidding, could reasonably be inferred as appropriate by examination of the drawings and specifications, visiting the site, and closely reviewing the work as indicated above. No representations as to subsurface conditions are made.

3. WORK BY OTHERS:

- A. The contractor shall identify and provide a list, to owner, of all openings which has electrical conduit running through window framing. City of Milwaukee Electrical Services will relocate electrical conduit prior to contractor's window installation. Contractor is to provide list of locations shortly after their initial walk through of the facility.

4. SCHEDULING OF WORK:

- A. The contractor shall provide a construction schedule which includes all phases of construction, indicating the anticipated start and completion times for each of those phases. The contractor shall provide that complete schedule at the Pre-Construction Meeting arranged by the City.
- B. All work, unless otherwise specifically approved, is to be done during normal working hours.
- C. Contractor must notify the City 48 hours in advance before starting work.

- D. The contractor shall sign in and identify all personnel working at the site on a daily basis with the supervisor in charge at the site. All personnel leaving the site will sign out prior to departure.
- E. Shut downs of any equipment and connections to any equipment must be arranged in advance with the Project Inspector from Facilities Development and Management. Power outages must be scheduled for Saturdays.
- F. Dispose of all removed materials in legal manner.
- G. The contractor shall provide a construction schedule which includes all phases of construction. The contractor shall provide that complete schedule at the Pre-Construction Meeting arranged by the City.
- H. Project Total working days does not include submittals and submittal approval, acquisition and preparation of materials, and work off-site.

SECTION 01210: PROJECT MEETINGS

1. SCOPE:

A. Index:

1. Scope
2. Pre-Construction Meeting
3. Progress Meetings

2. PRE-CONSTRUCTION MEETING:

- A. Soon after the award of the contract and prior to the start of construction, the contractor shall attend a pre-construction conference with representatives of the City.
- B. The contractor shall have at the meeting responsible representatives from subcontractors who are to perform major work on the project.
- C. The purpose of the meeting is to discuss in detail the plans and specifications. The discussion shall include:
 1. Schedule
 2. Equipment
 3. Material Storage
 4. Traffic Control
 5. Inspection Requirements
 6. Protection Procedures for the structure, adjacent facilities, environment, and personnel.
 7. Hours of Work
- D. The contractor shall submit the construction schedule to the architect/engineer at this meeting and a listing of subcontractors and their work. The contractor shall describe, in detail, when each portion of the work is expected to be accomplished. The subcontractors shall participate in the discussion. The architect/engineer will serve to interpret the contract documents should such questions arise.
- E. Any other questions that the contractor or his subcontractors have about the work or its scheduling shall be raised at these meetings.
- F. Requirements for contract administration and construction operations will be defined for participants.
- G. The architect/engineer will determine time, date, and place of the meeting.

3. PROGRESS MEETINGS:

- A. Bi-weekly meetings will be held for the purpose of coordinating and expediting the work.
- B. Attendance at project meetings by the contractor is mandatory. These meetings shall also be attended by representatives of each subcontractor who is either working at the site or is affected by work being done at the site. The contractor shall submit an updated construction schedule at these meetings and a short narrative should be written, describing the cause of

01210/2

any delays and intended action to remedy these delays.

- C. Contractors shall give a verbal report of progress on the project, discuss the work schedule for the coming period, and present all conflicts, discrepancies, or other difficulties for resolution.

SECTION 01300: SUBMITTALS/PERMITS1. SCOPE:A. Index:

1. Scope
2. Submittals
3. Permits
4. Inspection

2. SUBMITTALS:

A. Comply with the requirements of the General Conditions and as follows:

1. Forward Submittals not more than 20 calendar days after the Notice to Proceed date. No work, as indicated on any shop drawing, samples, hardware list, etc., shall be started until those submittals have been reviewed and work authorized.
2. All submittals must be thoroughly reviewed by the prime contractor for conformance to contract documents, prior to submission to the City, or its agents, for review. Shop drawings and catalog information shall be stamped "Reviewed By" and signed by the contractor's reviewer. The prime contractor shall review all subcontractor submittals prior to submittal to the City for compliance with contract documents and to coordinate all work.
3. Include with each submittal a transmittal letter signed and dated by the prime contractor containing the following:
 - a. Name of Contractor
 - b. Name of Project
 - c. List of Submittals
 - d. Name of Manufacturer or Supplier
 - e. Additional information as required for the items being provided.

B. Shop Drawings, Catalog Information, Calculations, and Samples:

1. Shop Drawings: Submit one blue/black line print review. The City will notify the contractor in writing and return one copy marked "REVIEWED - NO EXCEPTIONS TAKEN" with minor or no notations. The City will also notify the contractor in writing and return one copy, along with comments, when the drawings are marked either "REJECTED" or "REVISE AND RESUBMIT". For those shop drawings, the contractor will be responsible for resubmitting a new print.
2. Catalog Information and Calculations: Submit four copies for City's record and additional numbers of copies required for the contractor's purpose. The City will notify the contractor in writing and return the contractor's copies, with or without notation,

marked either "REVIEWED - NO EXCEPTIONS TAKEN", "REVISE AND RESUBMIT", OR "REJECTED". Catalog information or calculations marked "REVISE AND RESUBMIT" or "REJECTED" must be resubmitted in the same quantities as originally

required.

3. Samples: Submit two samples of requested materials for the City's records and additional samples, if desired, to be returned to the contractor. The City will notify the contractor in writing, whether the samples are approved or rejected. If they are rejected, new samples must be resubmitted as originally required.
 4. Corrections or comments made on the submittals during the review do not relieve the contractor from compliance with requirements of the contract documents. The check is only for review of general conformance with the design concept of the project and general compliance with the information given in the contract documents. Contractors are responsible for conforming and correlating all quantities and dimensions; selecting fabrication processes and techniques of construction; coordinating their work with that of all other trades; and performing their work in a safe manner.
- C. "Or Equal": Whenever the words "or equal" or similar term is used, it shall mean as determined by the Commissioner of Public Works or agent. All drawings, data and bulletins necessary to make an "or equal" determination shall be submitted to the Facilities Manager of FACILITIES DEVELOPMENT AND MANAGEMENT SECTION. Such review shall apply to design only and shall in no way relieve the contractor from the responsibilities as outlined in Item 2B above. Evaluation of "or equal" products will be made at the time of shop drawing submission. Any change required in design and coordination between all contractors, subcontractors, or trades due to the use of "or equal" materials shall become the contractor's responsibility. Any costs for detailed engineering reviews and/or any costs to incorporate "or equal" products will be borne by the contractor.
3. PERMITS:
- A. The City of Milwaukee will provide the general building and occupancy permits.
 - B. Contractors shall obtain, from the City of Milwaukee Department of City Development and/or other government or private agencies, all special permits as may be necessary in their work.
 - C. Contractors shall obtain all permits to occupy or work in the public way as may be necessary for their work.
 - D. Contractors shall notify the City and/or appropriate utilities when making utility connections as part of the project.
4. INSPECTION:
- A. FACILITIES DEVELOPMENT AND MANAGEMENT SECTION will provide daily inspection to verify compliance with contract documents, identify contractors and crews on the job, verify compliance with contract conditions (EBE, residency, wage requirements), and record job progress and conditions.

- B. Contractors shall arrange with the Department of Neighborhood Services/Construction Trades Division and permit issuing agencies for all code compliance inspections as required by all permits including, but not limited to, the general building and all special permits issued by that agency.
- C. Contractors shall arrange with the appropriate City agency for compliance inspections, as required, for all permits including, but not limited to, curb and pavement cuts and patches, and public way occupancy and utility connections.

SECTION 01500: JOB SITE UTILITIES, FACILITIES, AND SECURITY1. SCOPE:A. Index:

1. Scope
2. Building Security
3. Temporary or Trial Usage
4. Occupancy During Construction
5. Scaffolding
6. Electrical Power
7. Water
8. Toilet Facilities
9. Site Security and Weather Protection
10. Parking

2. BUILDING SECURITY:A. General:

The Downtown Complex is open to the public from 8:00 AM until 4:45 PM, Monday through Friday, excluding holidays. Since most contracted work takes place outside normal business hours, it is essential that contractors and their City agents understand and abide by security policy.

Outlying buildings are not generally open to the public. Contracted work in these buildings can take place at any time. It is essential that contractors and their City agents understand and abide by security policy.

B. Police Access (General):

1. Access to Milwaukee Police Department facilities requires the contractor to meet the following access procedures.
2. The Police Department require that all contractors, vendors, visitor or other who intend to do business at any Police Department site must have a background check performed by the Milwaukee Police Department **PRIOR** to any access.
3. All contractors' staff requiring access to the site, including any subcontractors, suppliers or vendors will be required to submit their full name (including full middle name) and birth date to allow the Department to perform the necessary background check. The contractor shall provide a staff list two weeks before work begins. At this time contractor shall provide a brief outline of the work, project schedule, and company contact information (company name, contact name and title, phone number and address).
4. To add staff during the course of the project provide the same information as above and allow 48 hours for a response.
5. The Contractor will be notified if the worker does not pass the background check.

6. Sign in and sign out will be required at all Milwaukee Police Department facilities.

Rev 10/07

C. Scope:

At the beginning of any project, a copy of this policy and procedure statement will be added to the project manual for bid consideration and shall be distributed at the Pre-Construction Meeting. All City agents/officials responsible for engaging contractors, all contractors, and all subcontractors shall be held responsible for following the procedures.

D. City Agents/Officials:

1. Any City agents/officials who commission outside contractors to work in any of the facilities managed by Facilities Development and Management shall provide the following information no less than twenty-four (24) hours in advance of the work:
 - a. The names of any contract or subcontract employees who will be present in the facilities (for the purpose of designing badges appropriate to their work area):

Access & Key Check-Out -- After Hours, Weekends, Holidays, Furloughs

- The contractor's City of Milwaukee contact will authorize them by completing a Contractor Authorization form.
- The form will be filed for the duration of the approved work in the City Hall Information Center
- If the contractor is approved for work access and keys will be allowed to the narrowest degree in order to allow efficient completion of work.
- The contractor will sign in to the City Hall Complex and on the Key Sign-Out log, if appropriate.
- **If they are not approved**, access to the facility will be denied. The contractor should work with their City point of contact to resolve the issue.

These names must be listed on a sign-in sheet available in the Zeidler Municipal Building, Room 602, DPW Facilities Dev. & Management. City shall be responsible to ensure the sheet and badges are transported to the appropriate location where the work is to be completed (City Hall Information Center for the Downtown Complex, for outlying buildings to the designated Facility Manager) before work is to begin.

- b. A list of keys and/or access cards required for access only to the areas necessary for work involved in the project. The keys and card will be received from the Security Manager or his designee and signed out to the City agents/officials responsible for the contracted work. The City employee will take the keys and/or access cards to the City Hall Information Center or the person responsible for controlling access in the outlying building where they shall be logged under the name of the contractor's company. When a project is complete, the City agents/officials must retrieve the keys/cards and return them to Facility Development and Management support staff in Room 602 of the Zeidler Municipal Building.
- c. The City agents/officials are responsible for communicating the security policy

and procedures to contractors. The City agents/officials shall act as liaison for all communication between Facilities Development and Management and the contractor.

E. Contractors:

1. Contractors shall abide by City security policy and procedures at all times during the scope of their participation in a project. Failure to comply will result in the contracted employee being escorted from the premises and the resulting lost time and expense shall be deducted from the contractor's invoice or penalties of \$50.00 per occurrence as determined by the contracting City agent/official.
 - a. All access should be provided in advance through the City agent/official. Contractors shall enter and exit only through those doors designated by the City (the Market Street entrance to City Hall and the doors established by the person responsible for access at outlying buildings). All other exterior doors are locked and alarmed and are not to be used as delivery points unless the City agent/official has been provided 24 hour notification to provide additional security coverage at that point while the delivery is in progress.
 - b. All of the contractor's employees and all of the employees of any of his subcontractors shall wear at all times while on the site, in a clearly visible location, an identification card. The identification card is to have a minimum 1" x 1" color photo of the head and shoulders. The photo is to have been taken no more than one year previously. The card is to be laminated with clear plastic and is to contain the company name, employee's name, and the employee's signature, and is to be furnished by the contractor or respective subcontractor.

F. Key or Key Card Access: Effective October 1, 2004 - The following policy has been established to maintain control of City Property and to ensure the physical protection of the City Hall Complex. signing out access cards and/or keys from the Information Center will be following the steps below.

- 1) Sign in on the sheet assigned to the project you are working on and pull that sheet and provide it to the Operator noting that you will need to sign out City property to access the building.
- 2) Provide the Operator your driver's license as collateral for the return of City property.
- 3) Sign out the property in the sign out book as per current policy.
- 4) The Operator will file your driver's license until such time as you sign in and return the City property at which time your license will be returned.
- 5) Sign out at the end of your workday on the sign out sheet.
- 6) Under NO circumstances will keys or cards be disbursed without the user signing for the property and providing the City Hall Operator their driver's license

as collateral.

- 7) In the event that keys or cards are not returned daily the contractor in question will have a deduct (security violation) **\$50.00** penalty for each occurrence.as per the contract. Individuals who loose or fail to return keys will be responsible for the cost of re-keying to the City.
- 8) Contractors shall not ask custodians or mechanics to unlock doors. In the rare case where access is not provided, the City Hall Operator may be contacted to assist in providing access. The contractor should be prepared to allow searches of equipment when leaving, and should remain only in the areas designated on the sign-in sheets.

G. Dock Access: If the contractor requires use of the loading dock in Upper Parking, 24 hour advance notice shall be given to the City agent/official to make arrangements to provide additional security coverage while the delivery is in progress. The contractor or subcontractor shall meet the delivery driver and take delivery at that point. At no time shall a driver be allowed in the facilities without following the access procedure stated above.

H. Outlying Building Access:

- 1) If after normal business hours work is required in the outlying buildings, all subcontractors and trades will arrange appropriate security measures and lock-up procedures with the contractor in writing. Any work completed at night shall be left "open" for City inspection of the work. The contractor shall notify the City agent/official 24 hours in advance of after-hours work in writing, indicating the type of work to be done and the security measures to be taken by the contractor.
- 2) The contractor shall provide plywood door and window closures during construction to secure the structure from weather and damage from vandalism. The contractor is responsible to maintain the security of the space where they are working during construction.
- 3) If proper notification is not provided to the contractor, the subcontractor or trades shall be liable for any subsequent damage/vandalism/inspection cost, etc., due to lack of security/inspection coordination.
- 4) Use of City materials is strictly prohibited unless pre-arranged through the City employee contact.
- 5) At no time shall any interior doors that control access or exterior doors be propped open.

3 TEMPORARY OR TRIAL USAGE:

The owner shall have the right to make temporary or trial usage of any mechanical device, machinery, apparatus, equipment, work, material or construction supplied under contract before final completion or acceptance of the work, and the same shall not be construed as evidence of acceptance of the work by the owner.

4. OCCUPANCY DURING CONSTRUCTION:

The owner will occupy the premises while work is in progress. Contractor is to coordinate his work as

to not interfere with the owner's operation or compromise building security.

5. SCAFFOLDING:

General Contractor shall provide protective sidewalk scaffolding and any additional measures as required to protect the public and allow safe use of this entrance into the facility during the entire construction period.

All scaffolding, swing stages and lifts as required to perform work defined in this contract document shall be provided and maintained by the General Contractor and shall be removed when no longer needed. The General Contractor is solely responsible for the design, safety and security of any scaffolding erected under this contract for this project. All scaffolding, swing stages and lifts shall be available with operators for access to the project for the Project Engineer, City Liaison and City Inspectors.

Exterior scaffolding access (up & down) shall be provided. Access through to the facility will be strictly limited. Adequate security must be provided by the General Contractor to limit the opportunity of unauthorized access of scaffolding.

Submittals for the scaffolding and egress protection shall be provided and reviewed before proceeding with erection. Scaffolding and egress protection submittals shall be stamped by a professional engineer. The scaffolding engineer shall design any foundations or anchoring points as required. The scaffolding system shall be properly grounded.

All anchors and other attachments into building shall be limited. All anchors and attachment shall be clearly indicated on submittals. All costs for scaffolding including installation of anchoring, foundation, erection and patching of all anchor and attachment points at the conclusion of the project shall be included in the base bid. Patching of all anchor or attachment points shall match existing façade materials. On site patching sample shall be provided and approved before proceeding with all patch work. Any damage to sidewalks, pavement or landscaped areas shall be restored to existing pre-construction conditions after the removal of the scaffolding.

Swing stages shall be installed and operated in accordance with all OSHA requirements.

rev 10/07

6. ELECTRICAL POWER:

Contractor may use existing outlets for power. Available outlets are 120 and 240 Volt single phase and 480 Volt three phase. Contractor is to supply his own lines. OSHA regulations require that employers use either ground fault circuit interrupters or an assured equipment grounding conductor program in addition to any other regulations for equipment grounding conductors. The cost of the current used will be paid for by the City.

7. WATER:

Contractor may use existing hose bibs for water. Contractor is to supply his own hoses. Contractor's hoses shall be leak free and contractor is to regulate the flow to limit it to project related use. The cost of the water will be paid for by the City.

8. TOILET FACILITIES:

Contractor may use existing toilet facilities in the building.

9. SECURITY AND WEATHER PROTECTION:

Contractor is to furnish, install, and maintain 8' high, nine gauge steel fence fabric at the exterior of the building, across any door or other openings into the building during construction to maintain security after work hours when not working on these openings. The fabric is to be securely fastened at the sides of the opening. Contractor is also to furnish, install, and maintain a waterproof tarp that completely covers the door opening between the fence and the building fastened to prevent rain from entering the building and secured against wind release. Contractor is to remove the fence fabric and tarp at the completion of each phase of the project when the permanent doors provide security and weather protection.

10. PARKING:

Contractor is responsible for parking of vehicles. No parking areas will be provided by the City.

SECTION 01505: CONSTRUCTION WASTE MANAGEMENT

PART 1 - GENERAL

1.1 SCOPE:

- A. This section specifies requirements for salvaging, recycling and disposing of construction waste for purposes of protecting the environment and reducing project cost.

Requirements include the following:

1. Developing a Construction Waste Management Plan including waste management goals and provisions for waste reduction and recycling.
2. Implementing, monitoring and documenting the waste management plan.
3. Incorporating special programs.
4. Evaluating construction waste management.

1.2 RELATED DOCUMENTS AND SECTIONS:

- A. Drawings and general provisions of the Contract, including General Conditions and other Division 1 Specification Sections, apply to this Section.
- B. Related documents include the following
1. Section 01010 "Summary of Work"
 2. Section 01300 "Submittal & Permits"
 3. Section 001500 "Utilities, Facilities, and Security" for environmental-protection measures during construction.

1.3 PRECONSTRUCTION MEETING:

- A. After award of Contract and prior to the commencement of the Work, schedule and conduct a meeting with the Owner and Architect to discuss the proposed Construction Waste Management Plan and to develop a mutual understanding regarding details of environmental protection.

1.4 CONSTRUCTION WASTE MANAGEMENT PLAN:

- A. Construction Waste Management Plan
1. The purpose of the Construction Waste Management Plan is to identify construction waste reduction goals, identify targeted materials, and explain specific waste reduction actions to be taken, by whom, and when.
 2. The Contractor shall develop a Construction Waste Management Plan for this Project within 15 working days after Contract award or prior to any waste removal. The Owner and the Architect will furnish the Contractor with information that will assist in the development of the Construction Waste Management Plan. Submit the Construction Waste Management Plan (include document/report form) to the Architect for approval prior to implementing the Plan.

- B. The Plan, which should be entered into and generated by WasteCapTRACE, shall include the following:**

1. **A list of the waste materials expected to be generated from the Project debris.**
 2. **A list of each material proposed to be salvaged, reused, recycled and discarded. Identify applicable markets for reuse and recycling. At a minimum, all materials required by state law to be recycled shall be recycled (e.g., cardboard, cans, bottles, office paper, fluorescent tubes, refrigerants, mercury, etc.) and scrap metal shall be recycled.**
 3. **Separation and materials handling procedures: Description of how waste materials identified above will be separated, cleaned (if necessary) and protected from contamination.**
 4. **Educational and Motivational Procedures: Meetings to be held and other proposed methods for educating construction personnel regarding waste reduction and recycling. Construction waste management requirements should be discussed at least monthly at project site meetings.**
 5. **Waste Auditing Procedures: Methods of monitoring and enforcing the Plan.**
 6. **Documentation Procedures: Methods of documenting materials leaving the Project site as waste, for the reuse or recycling to allow Summary of Waste Progress Reports to be submitted with Applications for Payment.**
 7. **The Lead contractor shall distribute copies of the Construction Waste Management Plan to DPW's Project manager.**
- C. Progress Documentation: Document solid waste disposal and diversion. Include the date of removal, type of waste removed, quantity by weight and volume, final destination and use (recycled, reused or landfilled), and net cost or income.
1. Document on the Form form acceptable to the Owner and Architect.
 2. With each Application for Payment, submit updated documentation identifying solid waste disposal and diversion.
 3. With each Application for Payment, submit manifests, weight tickets, receipts and invoices identifying the Project and construction waste material.
- D. Record Submittals: Submit the following:
1. Summary of solid waste disposal and diversion. Submit on form acceptable to the Owner and Architect.
 2. End-of-Project recycling rates and landfill rates demonstrating the percentage of construction waste that was recycled or reused.

1.5 WASTE MANAGEMENT GOALS:

- A. Develop Construction Waste Management Plan that results in end-of-Project rates for the reuse/recycling of **0%** percent by weight or volume of total waste generated by the Project. Record the total construction waste reduction goal on the Construction Waste Management Plan Form.
- B. Reduce: The Project shall generate the least amount of waste and methods shall be used that minimize waste due to error, poor planning, breakage, mishandling, contamination, or similar factors. Promote the resourceful use of materials to the greatest extent possible.
- C. Reuse: The Contractor and Subcontractors shall reuse materials to the greatest extent possible. Reuse includes the following:

1. Salvage reusable materials for resale, for reuse on this Project, or for storage for use on future projects.
 2. Return reusable items (e.g., pallets or unused products) to the material suppliers.
- D. Recycle: As many of the waste materials not able to be eliminated in the first place or salvaged for reuse shall be recycled. Waste disposal in landfills shall be minimized to greatest extent possible. DPW Facilities Development and Management is aware of only one Wisconsin recycling facility, Strategic Materials of East Troy, that accepts the glazing only from windows. The contractor would be responsible for removing all glazing from all framing; therefore, recycling of glazing is not require for the project but is encouraged.

1.6 MATERIALS HANDLING AND SORTING:

- A. Handling:
1. Materials that are contaminated prior to placing in collection containers shall be properly cleaned. Deliver materials free of dirt, adhesives, solvents, petroleum contamination, and other substances deleterious to recycling processes.
 2. Cover materials with tarps and keep truckloads level so as to prevent spillage.
 3. Arrange for collection by or delivery to the appropriate recycling or reuse facility.
 4. Hazardous Waste and Hazardous Materials: Handle in accordance with applicable regulations. If encountered, such waste and materials shall be abated under separate contract.
- B. The following sorting methods are acceptable:
1. Sorting recyclable materials at the Project site and transporting them to recycling markets directly from the Project site.
 2. Employing haulers who make use of a materials-recovery facility or a transfer station where recyclable materials are sorted from the waste and recycled before disposing of the remainder. If using a hauler or recycling facility to sort out recyclables, verify that the hauler sorts out all construction waste loads and is not limited to those that are not acceptable at the landfill. Also, verify that the hauler or recycling facility recycles at least three types of materials.

1.7 WASTE MANAGEMENT PLAN IMPLEMENTATION:

- A. The Contractor shall designate a party (or parties) who shall be responsible for instructing construction personnel and overseeing and documenting results of the Construction Waste Management Plan.
- B. Distribution: The Contractor shall distribute copies of the Construction Waste Management Plan to the Project Foreman, each Subcontractor, the Owner, and the Architect.
- C. Instruction: The Contractor shall provide on-site instruction regarding appropriate separation, handling, and recycling, salvage, reuse, and return methods to be used by all construction personnel at the appropriate phases of the Project.
- D. Separation Facilities: The Contractor shall lay out and identify a specific area on the Project site to facilitate separation of materials for recycling, salvage, reuse, and return. Recycling and waste bin areas shall be kept neat and clean, and clearly marked to avoid contamination of materials. Materials for recycling include concrete, non-fibrous wallboard, paper, clean corrugated cardboard (no pizza boxes), non-treated wood, metals (steel, aluminum and copper), and glass bottles (no windows). Provide separate containers, preferably near the job trailer, with smaller containers located at convenient places throughout the job site. Empty smaller containers into

larger containers every night or when full. Cover outdoor containers to keep out rain, snow, and wind-driven debris. Lock containers whenever site is not in use to prevent illegal dumping.

- E. Hazardous Waste: Hazardous waste shall be separated, stored, and disposed of according to applicable regulations.
- F. Application for Payments: With each Application for Payment, the Contractor shall submit a Summary of Waste generated by the Project. Failure to submit this information shall render the Application for Payment void, thereby delaying the Progress Payment. The Summary of Waste shall contain the following information:
 - 1. The amount (in tons and/or cubic yards) of material landfilled from the Project, the identity of the landfill, and the related disposal cost. Include corresponding manifests, weight tickets, receipts, and invoices.
 - 2. For each material recycled from the Project, the amount (in tons and/or cubic yards), the date removed from the Project site, the receiving party, the transportation cost, the amount of any money paid or received for the recycled or salvaged material, and the net total cost or savings of recycling. Include corresponding manifests, weight tickets, receipts, and invoices.
- G. Implementing the Plan: The Contractor shall designate a party (or parties) responsible for implementing the Construction Waste Management Plan. This party (or parties) shall explain to Contractor's and Subcontractor's construction personnel, the Plan's goals and methods for achieving those goals.

1.8 SPECIAL PROGRAMS:

- A. The Contractor shall be responsible for final implementation of programs involving tax credits, rebates, or similar incentives related to recycling, if applicable to the Project. Revenues or other savings obtained for recycling or returns shall accrue to the Contractor.
- B. The Contractor shall be responsible for obtaining information packets related to the special programs prior to commencing Work.
- C. The Contractor shall document work methods, recycled materials, etc., as required for the tax credits, rebates, or other savings described above.

END OF SECTION

SECTION 01600: MATERIALS AND EQUIPMENT

1. SCOPE:

A. Index:

1. Scope
2. Materials
3. Equipment
4. Hazardous Material Requirements
5. Material Storage
6. Protection
7. Revisions

2. MATERIALS:

- A. Furnish materials of the type, qualities, and characteristics specified. The specification of a trade name and catalog number is intended to establish quality, type, character, and operating characteristics of the material required. Materials by other manufacturers of equal specifications will be accepted, excepting as may be specifically stated otherwise.
- B. Materials shall be delivered adequately protected, in merchantable condition, and in original unbroken packages if normally packaged. They shall be stored and handled so as to protect and maintain their merchantable condition.
- C. The Commissioner of Public Works or his representative shall have the right to reject material not in compliance with the project manual, as well as damaged material, and the contractor shall remove such material from the construction site when and as directed.

3. EQUIPMENT:

- A. Internal combustion engine and compressor shall be equipped with mufflers to reduce noise to a minimum and shall not be operated in enclosed areas without adequate ventilation.
- B. All materials and work procedures used shall be in accordance with all air pollution control regulations in effect at the work site.

4. HAZARDOUS MATERIAL REQUIREMENTS:

- A. The requirements set forth in the OSHA Hazard Communication Standard, 29CFR19101.1200, U.S. Environmental Protection Agency (EPA), and Wisconsin Department of Natural Resources in the Wisconsin Administrative Code NR600, shall be met by each on-site contractor.

1. Material Safety Data Sheets (M.S.D.S.):

- a. All contractors, which may/may not include the City of Milwaukee, shall provide the M.S.D.S. for all hazardous chemicals to which any person may be exposed at the work site.
- b. A master list will be kept in the office of the Project Supervisor/Construction Manager and updated as materials are delivered.

2. Container Labeling:

- a. Each container of hazardous material at the work site shall be clearly labeled with:
 - (1) Identity of the hazardous chemical(s).
 - (2) Appropriate hazard warning(s).
 - (3) Name and address of the manufacturer.

B. The City of Milwaukee reserves the right to stop the work of a contractor if compliance with OSHA regulations is inadequate. Work will not proceed until all applicable safety and health procedures are implemented by the contractor.

5. MATERIAL STORAGE:

- A. The storage areas shall be kept in good order and free of all rubbish and debris.
- B. Coordinate the delivery and storage of all materials and equipment with the Buildings & Fleet Services Project Inspector.
- C. Designate receiving/storage areas for incoming products so that they are delivered according to installation schedule and placed convenient to work area in order to minimize waste due to excessive materials handling and misapplication.
- D. Store and protect products in accordance with manufacturers' instructions.
- E. Store with seals and labels intact and legible.
- F. Store sensitive products in weather tight, climate controlled, enclosures in an environment favorable to product.
- G. For exterior storage of fabricated products, place on sloped supports above ground.
- H. Cover products subject to deterioration with impervious sheet covering. Provide ventilation to prevent condensation and degradation of products.
- I. Prevent contact with material that may cause corrosion, discoloration, or staining.
- J. Provide equipment and personnel to store products by methods to prevent soiling, disfigurement, or damage.
- K. Arrange storage of products to permit access for inspection. Periodically inspect to verify products are undamaged and are maintained in acceptable condition.

6. PROTECTION:

- A. The premises and the work shall be adequately protected from damage from the commencement of work to the date of final acceptance.

- B. All construction work and traffic shall remain within the construction area.
- C. All damage shall be corrected or repaired by the contractor or contractors causing same at his or their own expense.
- D. All open pipes, pipe threads, fittings, and insulation must be protected during construction.

7. REVISIONS:

The right is reserved to make modifications to a reasonable extent as building conditions may require, or as may be required to conform to code rulings, or manufacturer's standards without extra cost to the City.

SECTION 01700: CLEANING AND PROJECT CLOSE-OUT

1. SCOPE:

A. Index:

1. Scope
2. General
3. Safety Cleaning
4. Progress Cleaning
5. Disposal
6. Final Cleaning
7. Charges
8. Record Drawings
9. Operating Instructions and
Maintenance Manuals
10. Guarantees

2. GENERAL:

Article 2.5.4 of the General Requirements of City of Milwaukee Department of Public Works shall be supplemented as specified hereinafter.

3. SAFETY CLEANING:

Safety cleaning: Each contractor is responsible for safety cleaning, which includes but is not limited to the following:

- A. Keep work areas, passageways, ramps, stairs, free of debris and scrap.
- B. Form and scrap lumber shall have nails withdrawn or bent over and lumber shall be stacked or removed.
- C. Remove spills of oil, grease, or other liquids immediately or sprinkle with sand.
- D. Hazardous material shall be handled in accordance with Section 01600. Each container of hazardous material at the work site shall be clearly labeled with:
 - a. Identity of the hazardous chemical(s).
 - b. Appropriate hazard warning(s).

4. PROGRESS CLEANING:

- A. Prime Contractor and subcontractor shall remove his rubbish and debris from building site promptly upon its accumulation, and prior to the contractor's regular Friday general clean up. Contractor shall perform broom cleaning of all appropriate surfaces each Friday afternoon.
- B. Combustible waste shall be stored in fire resistive containers and disposed of regularly.
- C. Oily, flammable or hazardous wastes such as caustics, acids, harmful dusts, etc., shall be stored in appropriate covered containers.

- D. All solvents and cleaners used on this project must be rated as containing low or no volatile organic compounds (VOC's).

5. DISPOSAL:

- A. No burning of rubbish or debris will be allowed at site. No rubbish shall be thrown through opening or from heights without proper protection. Where dust will be generated or flying debris is likely to occur, provide dust tight chutes or other means to control dust.
- B. Containers: Contractor shall provide mobile industrial type waste containers in the number and size required, placed at adequate locations to handle debris or provide other methods of disposing of debris.
- C. Oil, flammable or hazardous wastes such as, but not limited to, caustics, acids, harmful dusts, etc., shall be placed in properly marked containers as necessary and disposed of at a site designed for such wastes.

6. FINAL CLEANING:

- A. Immediately prior to substantial completion.
- B. Contractors shall expedite or perform thorough cleaning, sweeping, washing and polishing of work to remove from work and equipment provided under his contract, all foreign matter, spots and soil, so as to put all such work and equipment, including finishes, in a complete and finished condition ready for acceptance and use intended.
- C. The contractor is responsible for final sweeping and dusting not covered by other subcontractors. This general cleaning shall include all areas and floors of the building, including the site outside the building.
- D. All solvents and cleaners used on this project must be rated as containing low or no volatile organic compounds (VOC's).

7. CHARGES:

- A. If prime contractors do not remove rubbish or clean building as specified above, owner reserves right to have work done by others at contractor's expense.
- B. Employees of the owner who are required to clean up any rubbish or to sweep any floors will record all hours involved to complete such work. The cost incurred by the owner for this special cleaning and sweep-up work shall be charged against the contract price of the contractor as determined by owner.

8. RECORD DRAWINGS:

- A. At the completion of work and prior to final payment, the contractor shall provide DPW Facilities Management and Development with three (3) marked up sets of prints showing all changes or variations from contract drawings, and not specified on change order drawings theretofore issued.

- B. Other contractors shall provide one (1) marked up set of prints showing all changes or variations from contract drawings.
- C. Drawings shall show complete layout of revised piping, equipment, etc., as actually installed.

9. OPERATING INSTRUCTIONS AND MAINTENANCE MANUALS:

- A. The contractor shall, upon completion of all work, furnish the necessary skilled labor to instruct City personnel in the operation, adjustment, and maintenance of all equipment furnished.
- B. At termination of work, the contractor shall submit maintenance and operating manuals presenting full details of care and maintenance and operation of mechanical and electrical equipment of every nature. See specific requirements in relevant sections as applicable.
- C. The manual shall include manufacturer's instructions for maintenance and operation and shall be completely indexed, including the spare parts list. See specific requirements in relevant sections.
- D. Submit three (3) final copies in hard bound cover to DPW Facilities Development and Management.

10. GUARANTEES:

- A. Each contractor shall guarantee to replace or repair promptly at his own expense, as directed by the Commissioner of Public Works or his agent, all workmanship or materials in which defects may develop within one (1) year from the date of final acceptance of his work. This guarantee includes all damage done to the City due to faulty equipment, poor installation or poor construction.
- B. Guarantee periods other than the one year time period are indicated in specific specification sections.

SECTION 02070: SELECTIVE DEMOLITION AND REMOVAL

1. SCOPE: Provide all labor, equipment, and materials necessary to complete the removal of the commercial windows as specified herein.
 - A. Index:
 1. Scope
 2. Removal
2. REMOVAL:
 - A. Remove existing aluminum windows.
 - B. Remove any damaged or rotten trim.
 - C. Do not damage existing structure, piping, conduit, etc.
 - D. All material to be removed becomes the contractor's property and is to be taken daily from the site.
 - E. Remove all debris from site and broom clean all areas.

SECTION 07920 JOINT SEALANTS

Part 1 - GENERAL

1.01 SUMMARY

A. Section Includes one-component, ultra-low modulus, neutral-cure silicone rubber sealant for above-grade expansion and control joints of most building materials for both new and remedial construction.

B. Related Section:

1. Section 08 51 13 Aluminum Windows (Commercial)

1.02 REFERENCES

A. ASTM International Inc.

1. ASTM C 661 - Standard Test Method for Indentation Hardness of Elastomeric Type Sealants by Means of a Durometer.
2. ASTM C 679 – Standard Test Method for Tack-Free Time of Elastomeric Sealants.
3. ASTM C 719 - Standard Test Method for Adhesion and Cohesion of Elastomeric Joint Sealants Under Cyclic Movement (Hockman Cycle).
4. ASTM C 794 - Standard Test Method for Tack-Free Time of Elastomeric Joint Sealants.
5. ASTM C 920 - Standard Specification for Elastomeric Joint Sealants.
6. ASTM C 1135 - Standard Test Method for Determining Tensile Adhesion Properties of Structural Sealants.
7. ASTM C 1193 - Standard Guide for Use of Joint Sealants.
8. ASTM C 1248 - Standard Test Method for Staining of Porous Substrate by Joint Sealants.
9. ASTM C 1330 – Cylindrical Sealant Backing for Use with Cold Liquid Applied Sealants.
10. ASTM D 412 - Standard Test Method for Vulcanized Rubber and Thermoplastic Rubbers and Thermoplastic Elastomers – Tension.
11. ASTM D 2202 - Standard Test Method for Slump of Sealants.
12. ASTM E 119 (UL263) - Standard Test Method for Fire Tests of Building Construction and Materials.

B. Government Services Administration (GSA), Commercial Item Descriptions (CID)

1. GSA CID A-A-272A – Sealing Compound: Silicone Rubber Base (For Caulking, Sealing, and Glazing in Buildings and Other Structures).
2. GSA CID A-A-1556 – Sealing Compound Elastomeric Type, Single Component (For Caulking, Sealing, and Glazing in Buildings and Other Structures).

1.03 SUBMITTALS

- A. Provide in accordance with Submittal Procedures:
1. Product data for silicone sealant, primer, joint backing, and other accessories. Include material safety data sheets (MSDSs) and certifications showing compliance with specified standards.
 2. Shop drawings detailing sealant joints and indicating joint dimensions, materials, sealant profile, and size limitations.
 3. Manufacturer's color chart for selection by Project Manager/Coordinator.
 4. Manufacturer's instructions for installation and field quality control testing.
 5. Copy of warranties specified in Paragraph 1.5 for review by Project Manager/Coordinator.

1.04 PROJECT CONDITIONS

- A. Owner will occupy portions of building immediately below sealant work area. Conduct sealant work so Owner's operations will not be disrupted. Provide Owner with not less than 48 hours' notice of activities that may affect Owner's operations.
1. Coordinate work activities daily with Owner so Owner can place protective dust or water leakage covers over sensitive equipment or furnishings, shut down HVAC and fire-alarm or detection equipment if needed, and evacuate occupants from below the work area if desired.
 2. Coordinate schedule with Owner when work is to be complete at building entrances, building is open to the public and installation should be before or after hours of public operations.
- B. Protect building to be sealed, adjacent buildings, walkways, site improvements, exterior plantings, and landscaping from damage or soiling from sealant operations.
- C. Construction Drawings and Project Manual for existing window replacements are provided for Contractor's reference. Contractor is responsible for conclusions derived from existing documents.
- D. Window frames shall be sealed where the frames adjoin masonry. Seal for air tightness, both exterior and interior at all openings.
- E. Weather Limitations:
1. Proceed with window replacement preparation only when existing and forecasted weather conditions permit Work to proceed without inclement weather. All wet surfaces to dry. Any damage occurring due to moisture infiltration to the interior building systems requiring replacement or repair will be done so at the sole expense of the contractor.
 2. Do not install silicone sealant when temperature is less than 5 degrees below dew point.

1.05 WARRANTY

- A. Provide under provisions of Section 01700 - Cleaning and Project Close-out:
 - 1. Installer's 5-year workmanship warranty.
 - 2. Manufacturer's 20-year material warranty for properly installed silicone sealant.

Part 2 - PRODUCTS

2.01 ACCEPTABLE MANUFACTURERS

- A. Tremco Sealant/Weatherproofing Division of RPM International, Inc.
- B. Dow Corning Corporation.
- C. GE Sealants & Adhesives, Inc.

2.02 SEALANT

- A. Type: One-component, ultra-low modulus, neutral-cure silicone rubber sealant:
 - 1. Tremco Spectrem 1
 - 2. Dow Corning 790 Silicone
 - 3. GE Silpruf LM
 - 4. Or equal as approved by Project Manager/Coordinator.
- B. Compliance: Sealant shall meet or exceed requirements of these standards:
 - 1. ASTM C920, Type S, Grade NS, Class 100/50, Use T, NT, G, M, A, and O.
 - 2. GSA CID A-A-272A.
 - 3. GSA CID A-A-1556.
- C. Color to be selected by Project Manager/Coordinator for exterior and interior applications.
- D. Shelf Life: 12 months.
- E. Application temperature range: Minus 20 to plus 120 degrees F.
- F. Tack-free time: 1 hour at 50 percent relative humidity, tested in accordance with ASTM C679.
- G. Working time 10 to 20 minutes.
- H. Curing time at 3/8-inch depth: 7 to 14 days at 77 degrees F and 50 percent relative humidity.

- I. Flow, sag, or slump in 3 inches wide joint: None, when tested in accordance with ASTM D2202.
- J. Volatile organic compound (VOC) content: lower than 50 grams/liter.
- K. Cured sealant properties after 21 days at 77 degrees and 50 percent relative humidity.
 - 1. Joint movement capability: Plus 100 percent extension and 50 percent compression, tested in accordance with ASTM C719.
 - 2. Hardness: 15-durometer hardness, Shore A tested in accordance with ASTM C661.
 - 3. Properties tested in accordance with ASTM D412:
 - a. Ultimate tensile strength: 100 psi
 - b. Ultimate elongation: 1,600 percent.
 - 4. Minimum peel strength: 15 ppi, tested in accordance ASTM C794.
 - 5. Properties, tested in accordance with ASTM C1135:
 - a. Adhesion at 25 percent extension: 15 psi.
 - b. Adhesion at 50 percent extension: 20 psi.
 - 6. Weathering after 22,400 hours tested in accordance with ASTM C1135 using QUV Weatherometer:
 - a. At 25 percent extension: 30 psi.
 - b. At 50 percent extension: 40 psi.
 - 7. Staining after 14 days at 50 percent compression, 158 degrees F: None on concrete, granite, limestone, and brick, when tested in accordance with ASTM C1248.

2.03 ACCESSORIES

- A. Joint Cleaner: Non-corrosive and non-staining type, recommended by sealant manufacturer; compatible with joint forming materials.
- B. Primer: Non-staining type, recommended by sealant manufacturer to suit application.
- C. Joint Backing: Round foam rod compatible with sealant; oversized 25 to 50% larger than joint width; recommended by sealant manufacturer to suit application
- D. Bond Breaker: Pressure sensitive tape recommended by sealant manufacturer to suit application.
- E. Masking tape: Non-staining, non-absorbent tape product compatible with joint sealants and adjacent joint surfaces.

Part 3 - EXECUTION

3.01 EXAMINATION

- A. Verify substrate surfaces and joint openings are ready to receive work.
 - 1. Verify joint surfaces are clean and dry.

- B. Report unsatisfactory conditions in writing to the Project Manager/Coordinator;
- C. Do not proceed until unsatisfactory conditions are corrected.

3.02 PREPARATION

- A. Prepare joints in accordance with ASTM C 1193 and manufacturer's instructions.
- B. Clean joint surfaces to remove dirt, dust, oils, wax, curing compounds, form release agents, laitance, efflorescence, mildew, paints, and other contamination capable of affecting primer and sealant bond.
- C. Clean substrates to receive silicone sealant.
 - 1. Porous surfaces: Abrasive-clean followed by blasting with oil-free compressed air.
 - 2. Nonporous surfaces: Use two-cloth solvent wipe in accordance with ASTM C1193.
 - 3. High-pressure water cleaning: Exercise care that water does not enter through failed joints.
- D. Adhesion test: Apply silicone sealant to small area and perform adhesion test in accordance with ASTM C1193, Method A, to determine if primer is required to achieve adequate adhesion. If necessary, apply primer at rate and in accordance with manufacturer's instructions. Allow primer to dry.
- E. Protect elements surrounding the Work of this section from damage or disfiguration. Apply masking tape to adjacent.

3.03 EXISTING WORK

- A. Mechanically remove existing sealant.
- B. Clean joint surfaces of residual sealant and other contaminates capable of affecting sealant bond to joint surface.
- C. Allow joint surfaces to dry before installing new sealants.

3.04 SEALANT INSTALLATION

- A. Install primer and sealants in accordance with ASTM C 1193 and manufacturer's instructions.
- B. Install joint backing to maintain the following joint ratios:
 - 1. Joints up to 1/2 inch (13 mm) Wide: 1:1 width to depth ratio.
 - 2. Joints Greater than 1/2 inch (13 mm) Wide: 2:1 width to depth ratio; maximum 1/2 inch joint depth.
- C. Install bond breaker where joint backing is not used.
- D. Apply primer where required for sealant adhesion.
- E. Install sealant:

1. Apply sealant immediately after joint preparation.
 2. Use sealant-dispensing equipment to push sealant bead into opening. Fill joint opening to full and proper configuration. Apply in continuous operation.
 3. Install sealant free of air pockets, foreign embedded matter, ridges, and sags.
 4. Before skinning or curing begins, tool sealant with metal spatula. Provide concave, smooth, uniform, sealant finish. Eliminate air pockets and ensure complete contact on both sides of joint opening. Tool joints in one continuous stroke.
- F. Complete horizontal joints prior to vertical joints. Lap vertical sealant over horizontal joints.
- G. Cleaning:
1. Remove masking tape.
 2. Clean adjacent surfaces of excess sealant.

3.05 FIELD QUALITY CONTROL

- A. Perform adhesion tests in accordance with manufacturer's instructions and ASTM C1193, Method A, Field-Applied Sealant Joint Hand-Pull Tab.
1. Perform 1 test per floor at least one building elevation.
 2. For sealants applied between dissimilar materials, test both sides of joint.
- B. Sealants failing adhesion test shall be removed, substrates cleaned, sealants re-installed, and re-testing performed.
- C. Maintain test log and submit report to Project Manager/Coordinator indicating tests, locations, dates, results, and remedial actions.

END OF SECTION

**SECTION 08520
ALUMINUM WINDOWS (Commercial)**

PART 1 - GENERAL

1.01 SECTION INCLUDES

- A. Material: aluminum windows as on the drawings and specified in this section.
- B. Installation: labor, tools, and material needed to install aluminum windows.
- C. Glass and glazing.

1.02 RELATED SECTIONS - Section 079203 – Joint Sealants

1.03 REFERENCES

- A. AAMA - American Architectural Manufacturers Association – www.aamanet.org

ALL WINDOWS

1. AAMA/WDMA/CSA 101/I.S.2/A440-05 "Standard/Specification for Windows, Doors, and Unit Skylights"
2. AAMA 502-08 "Voluntary Specification for Field Testing of Newly Installed Fenestration Products"
3. AAMA 611-98 "Voluntary Specification for Anodized Architectural Aluminum"
4. AAMA 701/702-04 "Voluntary Specification for Pile Weatherstripping and Replaceable Fenestration Weatherseals"
5. AAMA 800-07 "Voluntary Specifications and Test Methods for Sealants"
6. AAMA 2603-02 "Voluntary Specification, Performance Requirements and Test Procedures for Pigmented Organic Coatings on Aluminum Extrusions and Panels"
7. AAMA 2604-05 "Voluntary Specification, Performance Requirements and Test Procedures for High Performance Organic Coatings on Aluminum Extrusions and Panels"
8. AAMA 2605-05 "Voluntary Specification, Performance Requirements and Test Procedures for Superior Performing Organic Coatings on Aluminum Extrusions and Panels"
9. AAMA CW-10-04 "Care and Handling of Architectural Aluminum from Shop to Site"

PROJECTED

1. AAMA 904-01 "Voluntary Specification for Multi-Bar Hinges in Window Applications"

SINGLE HUNG

1. AAMA 902-07 "Voluntary Specification for Sash Balances"

- B. ASTM - American Society for Testing and Materials – www.astm.org

ALL WINDOWS

1. ASTM E 283-04 "Standard Test Method for Determining Rate of Air Leakage Through Exterior Windows, Curtain Walls, and Doors Under Specified Pressure Differences Across the Specimen"
2. ASTM E 330-02 "Standard Test Method for Structural Performance of Exterior Windows, Doors, Skylights, and Curtain Walls by Uniform Static Air Pressure Difference"
3. ASTM E 547-00 "Standard Test Method for Water Penetration of Exterior Windows, Skylights, Doors, and Curtain Walls by Cyclic Static Air Pressure Differential"
4. ASTM E 2190-02 "Standard Specification for Insulating Glass Unit Performance and Evaluation"

PROJECTED

1. ASTM E 331-00 "Standard Test Method for Water Penetration of Exterior Windows, Skylights, Doors and Curtain Walls by Uniform Static Air Pressure Difference"

- C. NFRC – National Fenestration Rating Council – www.nfrc.org

ALL WINDOWS

1. NFRC 100-04 "Procedure for Determining Fenestration Product U Factors"
2. NFRC 500-04 "Standard Specification for Insulating Glass Unit Performance and Evaluation"

SINGLE HUNG

1. NFRC 102-04 "Procedure for Measuring the Steady-State Thermal Transmittance of Fenestration Systems"

- D. IGCC – Insulating Glass Certification Council – www.igcc.org

- E. SGCC – Safety Glazing Certification Council – www.sgcc.org

1. ANSI Z97.1-04 "American National Standard for Safety Glazing Materials used in Buildings – Safety Performance Specifications and Methods of Test"

2. 16 CFR 1201 "Consumer Product Safety Commission Safety Standard for Architectural Glazing Materials – codified at Title 16, Part 1201 of the Code of Federal Regulations"

1.04 SYSTEM DESCRIPTION

PROJECTED

- A. AAMA Designation: AP-C50.
- B. Windows: 2-1/4" frame depth; extruded aluminum with integral structural thermal break made with glass-reinforced nylon strips installed by the window manufacturer in the frame and vent members; equal-leg frame to be used with panning and trim accessories as required; exterior and interior finishes applied by the window manufacturer; frames and vents assembled by the window manufacturer.
- C. Configuration: project in; fixed-over-vent with continuous jambs per frame (Window Types "A" and "E") and fixed-over-fixed-over-vent with continuous jambs per frame (Window Type "F")..
- D. Glazing: exterior 2-part structural silicone; 1" insulating glass; interior foam-filled bulb gasket threaded in aluminum glazing bead; glass description in paragraph 2.04; glazed by the window manufacturer.

SINGLE HUNG

- A. AAMA Designation: CW-PG50-H.
- B. Windows: 3-1/4" frame depth; extruded aluminum with integral structural thermal break made with glass-reinforced nylon strips installed by the window manufacturer in the frame and sash members; equal-leg frame to be used with exterior panning and trim accessories as required; exterior and interior finishes applied by the window manufacturer; frames and sash assembled by the window manufacturer.
- C. Configuration: single hung in master frame (Window Types "B", "D", "G" and "H") and single hung-to-single hung with continuous head and sill in master frame (Window Type "C"); bottom sash tilts in for glass cleaning.
- D. Glazing: interior tape-glazed fixed lite; marine glaze sash; 7/8" insulating glass; interior foam-filled bulb gasket; glass description in paragraph 2.04; glazed by window manufacturer.

1.05 PERFORMANCE REQUIREMENTS

- A. Conformance to CW-PG50-H specifications in AAMA/WDMA/CSA 101/I.S.2/A440-08 when tests are performed on the prescribed 56" x 91" minimum test size with the following test results:
1. Air Infiltration: not to exceed AAMA 101 standard of maximum .3 cfm/square foot when tested per ASTM E 283-04 at a static air pressure difference of 1.6 psf.
 2. Water Penetration: no uncontrolled water leakage when tested per ASTM E 331-00 and ASTM E 547-00 at a static air pressure difference of 10 psf.

3. Uniform Structural Load: no glass breakage or permanent damage to fasteners, and maximum .3% permanent deformation of the span of any frame member when tested per ASTM E 330-02 at a static air pressure difference of 75 psf.
- B. U Value Simulation: thermal computer simulation per NFRC 100-04, at the prescribed 48"x 60" test size glazed with 7/8" insulating glass made with 1/8" glass with a soft coat low E coating on the #2 surface of the exterior lite, thermoplastic butyl spacer, argon gas, and 1/8" glass with a hard coat low E coating on the #4 surface of the interior lite: Standardized Thermal Transmittance to be maximum 0.37 BTU/HR/SQ.FT/°F.
 - C. U Value Simulation: thermal computer simulation per NFRC 100-4, at the prescribed 48" x 60" Non-Residential Size, glazed with 7/8" insulating glass made with 1/8" clear exterior glass lite, thermoplastic butyl spacer, argon gas, and 1/8" glass with a soft coat low E coating on the #3 surface of the interior lite: Thermal Transmittance to be maximum 0.37 BTU/HR/SQ.FT/°F.
 - D. Condensation Resistance Simulation: thermal computer simulation per NFRC 500-04, at the prescribed 48"x 60" Non-Residential Size, glazed with 7/8" insulating glass made with 1/8" clear exterior glass lite, thermoplastic butyl spacer, argon gas, 1/8" glass with a soft coat low E coating on the #3 surface of the interior lite: Condensation Resistance to be minimum 51.

1.06 SUBMITTALS

- A. Shop drawings: window location chart; typical window elevations; details of assemblies, hardware, and glazing details for units glazed by window manufacturer.
- B. Product data: manufacturer's specifications and test reports from an AAMA-accredited laboratory.
- C. Samples: each specified finish for aluminum; other samples as requested.

1.07 QUALITY ASSURANCE

- A. Furnish a valid AAMA "Authorization for Product Certification" indicating that the windows for the project conform to AAMA/WDMA/CSA 101/I.S.2/A440-05.
- B. Furnish visible, permanent IGCC certification labels indicating conformance to ASTM E 2190-02 on double insulating glass units.
- C. Furnish visible, permanent SGCC certification labels indicating conformance to ANSI Z97.1-04 and/or 16 CFR 1201 on tempered glass lites, if included on the project, and laminated glass lites, if included on the project.
- D. Manufacturer's warranties:
 1. Windows: warrant for one year against defects in material or workmanship under normal use.

2. Insulating glass units: warrant seal for five years against visual obstruction from film formation or moisture collection between internal glass surfaces, excluding that caused by glass breakage or abuse.
 3. Paint finish: PPG Duracron™ organic finish conforming to AAMA 2603-05: warrant for fifteen years against chipping, peeling, or cracking.
- E. Project Survey:
1. Windows and framing: by installer and manufacturer's representatives; one year after date of completion; to recommend maintenance procedures.

1.08 DELIVERY, STORAGE, AND HANDLING - Handle and protect windows and accessories in accordance with AAMA CW-10-04 until project completion.

PART 2 - PRODUCTS

2.01 MANUFACTURERS

PROJECTED

- A. TRACO NX-240 Overlap Project In Thermal Aluminum Window.
- B. Other acceptable manufacturers who have demonstrated a successful history of manufacturing for **ten** years equivalent products:
 1. Wojan Window and Door Corporation, 4500
 2. Or equal as approved by owner.

SINGLE HUNG

- A. TRACO NX-5400 Single Hung Tilt Thermal Aluminum Window
- B. Other acceptable manufacturers who have demonstrated a successful history of manufacturing for **ten** years equivalent products:
 3. Wojan Window and Door Corporation, M950
 4. Or equal as approved by owner.

2.02 MATERIALS

PROJECTED

- A. Aluminum extrusions: extruded by the window manufacturer from commercial quality 6063-T5 alloy; free from defects impairing strength and durability.

- B. Weatherstrip: secured in extruded ports; double rows on sash perimeters: pile conforming to AAMA 701/702-04 with polypropylene center fin.
- C. Hardware: concealed stainless steel hinges conforming to AAMA 904-01 to rotate vent inward on horizontal axis; white bronze cam handles with brass strikes mounted at the top of the vent – one per vent up to 36" vent width, two per vent over 36" to 56" vent width, and three per vent over 56" vent width ; white bronze custodial lock with 1/4" hex key.
- D. Screens: full; field-mounted exterior tracks; two stainless steel leaf springs; 5/16" x 1-1/2" x .050" extruded tubular aluminum frame with finish to match window in color and performance; corners mitered, gusset reinforced, and crimped; 18 x 16 dark fiberglass mesh; PVC spline.

SINGLE HUNG

- A. Aluminum extrusions: extruded by the window manufacturer from commercial quality 6063-T5 alloy; free from defects impairing strength and durability.
- B. Hardware: black zinc die cast sweep lock including custodial lock- one per window up to 32" window width, two on wider windows; two zinc pivot bars per sash - pivot bars engage balance shoes when sash are tilted parallel to the floor; two black nylon finger custodial tilt releases per sash – release are spring-loaded for safety by automatically engaging the frame jamb when the sash are in their normal vertical position.
- C. Weatherstrip: secured in extruded ports; double rows on sash perimeters: pile conforming to AAMA 701/702-04 with polypropylene center fin.
- D. Balances: constant force conforming to AAMA 902-07 Class 2 with capacity to hold sash stationary and permit them to operate freely; nylon balance shoes which lock when sash are tilted to prevent sash travel.
- E. Insect screens: half; held in exterior tracks with stainless steel leaf springs; 5/16" x 1-1/2" x .045" extruded tubular aluminum frame with same finish as window; corners mitered, gusset reinforced, and crimped; 18 x 16 dark fiberglass mesh; PVC spline.

2.03 FABRICATION

PROJECTED

- A. Frame: tubular members; corners mitered, reinforced, and joined by zinc gussets designed to be disassembled, if necessary, with common tools; factory-sealed with sealant conforming to AAMA 800-07.

- B. Vent: tubular members; corners mitered, reinforced, and joined by zinc gussets designed to be disassembled, if necessary, with common tools; factory-sealed with sealant conforming to AAMA 800-07.
- C. Water control: pressure equalization gasket on vent interior; tubular sill with exterior weeps and flap covers to allow water to drain to exterior by gravity and resist wind-driven water.

SINGLE HUNG

- A. Frame: head and sill coped and fastened to jambs with two stainless steel screws per corner; frame sill has two weep holes covered with weep covers for drainage; corners sealed by window manufacturer with sealant conforming to AAMA 800-07.
- B. Sash: tubular horizontal sash rails coped and fastened to double-tubular vertical sash stiles with a telescope-design joint secured with one stainless steel screw per corner; corners sealed by window manufacturer with sealant conforming to AAMA 800-07.
- C. Sash design: continuous extruded lift rail on bottom sash interior; meeting rail interlock.

2.04 INSULATING GLASS UNITS

A. Materials

- 1. Spacer: extruded thermoplastic butyl with integrated desiccant.
- 2. Spacer color: black.
- 3. Secondary seal: silicone.
- 4. Airspace fill: argon

B. Performance

- 1. Dual-seal durability: conformance to ASTM E 2190-02; visible, permanent IGCC certification label on air spacer.
- 2. Other: Center-of-glass U value, 0.42; SHGC, 0.32; Air, 0.30 cfm/sf.

C. Exterior glass lite

- 1. Thickness: 1/4".
- 2. Tint: clear.

3. Type: laminated.
 4. Coating: soft coat low E on #2 surface.
- D. Interior glass lite
1. Thickness: 1/4".
 2. Tint: clear or pattern #62 obscure as indicated on drawings.
 3. Type: tempered.

2.05 FINISH ON EXTERIOR ALUMINUM EXTRUSIONS

- A. Application: on clean extrusions free from serious surface blemishes; on exposed surfaces visible when installed product's operating sash are closed.
- B. Coating: color anodize.
- C. Quality standard: conforming to AAMA 611-98.
- D. Thickness: AAM10C22A44 Class I - .7 mils.
- E. Color: #313 dark bronze. Verify color matches existing storefront entrance prior to obtaining owner's approval.

2.06 FINISH ON INTERIOR ALUMINUM EXTRUSIONS

- A. Application: on clean extrusions free from serious surface blemishes; on exposed surfaces visible when installed product's operating sash are closed.
- B. Coating: PPG Duracron™ with acrylic resin; thermosetting.
- C. Quality standard: conforming to AAMA 2603-02, including 1 year Florida exposure and 1500 hours humidity tests.
- D. Pretreatment: five-stage; zinc chromate conversion coating.
- E. Application: electrostatic spray and oven bake by approved applicator.
- F. Coating quantity: one color coat.

- G. Dry film thickness: minimum .8 mils on exposed surfaces, except inside corners and channels.
- H. Color: chosen from manufacturer's standards. Color to be selected by owner.

2.07 INSTALLATION ACCESSORIES

- A. Material: extruded aluminum; nominal .062" wall; with exposed surfaces finished to match window color and finish performance; concealed fasteners; required weatherseals; designed for unrestricted expansion and contraction.
- B. Exterior: preset panning.
- C. Interior: two-piece snap trim.
- D. Header and sill flashing with weep tubes.
- E. Custodial locks.

PART 3 - EXECUTION

3.01 PREPARATION - Prepare openings to be in tolerance, plumb, level, provide for secure anchoring, and in accordance with approved shop drawings.

3.02 INSTALLATION

- A. Install windows in accordance with window manufacturer's recommendations and dealer's approved shop drawings with skilled craftspeople who have demonstrated a successful history of installing windows for **ten** years.
- B. Provide required support and securely fasten and set windows plumb, square, and level without twist or bow.
- C. Apply sealant per sealant manufacturer's recommendations at joints, wipe off excess, and leave exposed sealant surfaces clean and smooth.

3.03 FIELD TESTING

- A. Test installed units in conformance with AAMA 502-08 minimum requirements for air and water infiltration with the window manufacturer, dealer, contractor, and owner present.
- B. Select test units as directed by the owner's representative and use an AAMA-accredited laboratory provided by the owner or contractor.

3.04 ADJUSTING AND CLEANING - Adjust windows as necessary for smooth and weathertight operation, and leave windows clean and free of construction debris.

END OF SECTION

**SECTION 08910
METAL WINDOW PANELS**

PART 1 - GENERAL

1.01 SECTION INCLUDES

- A. Pre-insulated architectural metal panel cladding where indicated on the drawings. Also included are all necessary trims, fasteners, sealants and gaskets as required for a weathertight installation.

- B. Installation: labor, tools, and material needed to install metal panels.

1.02 RELATED SECTIONS –

- A. Section 079203 – Joint Sealants
- B. Section 085200 – Aluminum Window (Commercial)

1.03 REFERENCES

- A. Porcelain Enamel Institute (P.E.I.)
 - 1. ASTM-C-282- Spot Acid
 - 2. ASTM-C-283- Boiling Acid
 - 3. ASTM-C-703- Antimonium Chloride Spall Test
 - 4. ASTM-C-346- Gloss Retention
 - 5. ASTM-C-486- Spall Resistance
 - 6. Brunnel Hardness – 600-700

- B. Aluminum Association
 - 1. AA-C22-A42: Integral Color Anodized

- C. American Architectural Manufacturers Association (AAMA)
 - 1. 605.2-92 High Performance Organic Coatings on Aluminum – (Kynar)

- D. American Society of Testing Materials (ASTM)

1. E330-84: Structural Performance of Exterior Windows, Curtain Walls and Doors under the influence of wind loads.
2. D1781-76: Climbing Drum Peel Test for Adhesives.
3. D3363-74: Method for Film Hardness by Pencil Test.
4. D2794-90: Resistance of Organic Coatings to the Effects of Rapid Deformation (Impact)
5. D3359-90: Method for Measuring Adhesion by the tape test.

1.04 SUBMITTALS

- A. Submittals shall be in conformance with Section 01300.
- B. Manufacturer's data sheets on each product to be used, including:
 1. Preparation instructions and recommendations.
 2. Storage and handling requirements and recommendations.
 3. Material type, metal thickness and finish.
 4. Installation methods.
- C. Shop Drawings: Including elevations, fastening patterns, sections of each condition and details as required.
- D. Selection Samples: For each finish product specified, two (2) complete sets of color chips representing manufacturer's full range of available colors and patterns.
- E. Panel Sample: Submit 1' high by full width sample panel for each profile specified indicating the metal, texture and finish.
- F. Manufacturer's Certificates: Certify products meet or exceed specified requirements.

1.05 QUALITY ASSURANCE

- A. Manufacturer Qualifications: Company specializing in manufacturing factory foamed-in-place insulated metal panels with a minimum documented experience of ten years.
- B. Installer Qualifications: Company specializing in installation of the products specified for projects of similar size and scope with minimum five years documented experience.

1.06 DELIVERY, STORAGE, AND HANDLING - Handle and protect windows and accessories in accordance with AAMA CW-10-04 until project completion.

- A. Protect finish and edge in accordance with panel manufacturer's recommendations.
- B. Store materials in accordance with panel manufacturer's recommendations.

PART 2 – PRODUCTS

2.01 MANUFACTURERS

- C. Mapes Industries
- D. Other acceptable manufacturers who have demonstrated a successful history of manufacturing for ten years equivalent products:
 - 1. Lurie Panels
 - 2. Or equal as approved by owner.

2.02 FINISH

- A. Kynar/Hylar – AAMA 665.2-92 – resin based – 70%
- B. Anodized Dark Bronze, Class II. Match color with existing storefront entrance prior to obtaining approval from owner.

2.03 PANEL FABRICATION

- A. Composition: Two sheets of aluminum bonded to stabilizer substrates with insulative core.
- B. Exterior Skin: .032" Kynar finished aluminum.
- C. Exterior Substrate: 4mm water resistant corelite
- D. Core Insulation: 2-lb density polystyrene.
- E. Interior Substrate: 1/8" hardboard.
- F. Interior Skin: .03" Kynar finished aluminum if exposed mill finish aluminum is above a ceiling.
- G. Overall Panel Thickness – 1"

2.04 ACCESSORIES

- A. Recommended for use as an infill panel component in window and curtain wall systems. Related material to complete installation as recommended by the manufacturer.
- B. Seal against moisture intrusion as recommended by the manufacturer. Polyurethane and silicone based sealant with a 20 year life are recommended.

PART 3 - EXECUTION

3.01 EXECUTION – Panel surfaces shall be free from defects prior to installation.

3.02 INSTALLATION

- A. Erect panels plumb, level and true.
- B. Glaze panels securely and in accordance with approved shop drawings and manufacturers' instructions to allow for necessary thermal movement and structural support.
- C. Do not install panels that are observed to be defective including warped, bowed, dented, scratched and delaminating components.
- D. Weatherseal all joints as required using methods and materials as previously specified.
- E. Separate dissimilar metals using gasketed fasteners and blocking to eliminate the possibility of electrolytic reaction.

3.03 ADJUSTING AND CLEANING

- A. Remove masking film as soon as possible after installation. Masking intentionally left in place after panel installation will be the responsibility of the contractor.
- B. Weep holes and drainage channels must be unobstructed and free from dirt and sealant.

END OF SECTION